551.5 St 7 1899

OF THE ASTRONOMICAL SOCIETY OF THE PACIFIC

STONYHURST COLLEGE OBSERVATORY.


Results of Adeteorological

Magnetical Observations,

WITH

REPORT AND NOTES OF THE DIRECTOR






STONYHURST COLLEGE OBSERVATORY, LANCASHIRE.

With FATHER SIDGREAVES'

COMPLIMENTS.




NAME OF

As ronomical Society of the Parific, Room 748 Phelan Building

406

OF THE ASTRONOMICAL SOCIETY OF THE PACIFIC



STONYHURST COLLEGE OBSERVATORY.

RESULTS

OF

METEOROLOGICAL & MAGNETICAL OBSERVATIONS

WITH REPORT AND NOTES OF THE DIRECTOR,

REV. W. SIDGREAVES, S.J., F.R.A.S.

1899.

CLITHEROE:

PRINTED BY PARKINSON AND BLACOW, TIMES OFFICE. 1900.

THE LIBRARY OF THE

AUG 26 1002

UNIVERSITY OF ILLINOIS







TABLE OF CONTENTS.

Director's Report					***	5
Monthly Meteorologica	1 Tables					8
Yearly Meteorological	Summary		•••			32
Dates of Occasional Ph	nenomena		•••	***		34
Monthly Tables for each	h hour of	record	led Sunsh	ine		35
Total amount of Sunsh	ine record	ded on	each day			36
Summary of Sunshine	(Means)	•••	•••			38
Summary of Sunshine	(Extreme	s)				39
Observation of Upper	Clouds (C	irrus)	•••	••		40
Magnetic Report—						
1. Absolute Values of	the Elen	nents of	Terrestr	ial Mag	netism	42
2. Horizontal Direct	tion and	Force	deduced	from	daily	
curves						48
3. Magnetic Disturb	ances	•••				50
Dates of Solar Drawin	gs		***			51
List of Presents receive	ed		***			52
Appendix. Observation	ns taken a	at St. Is	gnatius' C	College,	Malta	65



REPORT AND NOTES.

THE meteorological and magnetical instruments have been in continuous operation throughout the year; and the usual reports have been despatched regularly. A special report of rainfall from 1871 to 1898, was prepared for the Meteorological Office, and the expense of the work has been borne by the same Office.

The mean temperature of the year was roir above the average. The relatively warm months of the year were January, February, June, July, August, and November. Of these, August and November were the most remarkable, their mean temperatures being respectively $4^{\circ}\cdot 3$ and $5^{\circ}\cdot 3$ above the averages. The warmest days, when the shade temperature reached 80° and over, were registered two in the middle of June, one on the last day of July, and nine in August; and the highest of these was $85^{\circ}\cdot 9$ on August 2nd.

The sunshine record shows 184 hours of bright sunshine in excess of the annual average. This excess was divided between June, August, and October.

The rainfall was nearly half-an-inch above the average, owing mostly to the excessive falls in January and September, when the amounts were 3·1 and nearly 4·5 inches above those monthly averages.

The deep barometric depression at the end of December was accompanied by much rain, but no strong wind. The barometer reached its lowest reading, 27.995, at 6-30 p.m. on the 29th, in a comparative calm, or very light easterly winds. The calm lasted 25 hours from the preceding midnight, and the wind changed from a moderate breeze, N.E. before the calm, to the same force S.W., after the calm.

The solar surface drawings number 183, on as many days, during the year. Of these, 128 sheets are drawings of spots and faculæ, and the remaining 55 show only small spots as dots and some faculæ. The mean daily disc-area, deduced from the whole number of drawings, is 0.7, against 2.5 units* of the preceding year; and, dividing the year into two parts, Jan. 1—July 16, and July 17—Dec. 31, the mean areas are 1.1 and 0.2 respectively; which seems to show a near approach to the minimum period of solar activity at the end of the year 1899.

Comparing these spot-areas with earth magnetic disturbances, it is worthy of remark that of the seven days in the year, noted for greater magnetic disturbances, four occurred in the two periods of the greatest spot-areas of the year, in the middle of March, and at the end of June; and the remaining three occurred in very quiet periods in January, February, and May.

* One five-thousandth of disc area.

The grating spectrographs of the HK region of the solar spectrum number 162 on 81 days. On 67 of these days the plates are strong enough to show the intensities of the reversals. There is no marked difference between the results of this and of the preceding year: but both collections are waiting for comparison with similar plates of a future period of greater solar activity.

Considerable preparations were made for the possible Leonid-meteor shower. Five cameras were mounted for the meteor streaks; and one was attached to the eye-end of the Perry Memorial telescope, with the hope of obtaining a photograph of the meteor-swarm as a cluster or comet outside our atmosphere. This was the chief hope of the watch on the morning of the 16th November, for which Dr. Johnstone Stoney had kindly provided the position of the sight-line tangent to the meteor-orbit. Unfortunately, the sky, though clear enough for eye-obse-vations of meteors to the third magnitude, was too hazy for the feeble light from the distant swarm. Only a few Leonids were seen on this morning; and the preceding nights from the 10th to the 14th inclusive were cloudy throughout.

The stellar spectrograph has been employed on all available nights, to continue the series of photographs intended for investigation of possible changes in the spectra of selected stars. But the work of measuring and mapping these has been interrupted by a corresponding work on the solar drawings of the last 19 years.

Stonyhurst Observatory.

Lat. 53° 50' 40° N. Long. 9m. 52° . 68. W. Height of the Barometer above the sea 381ft.

METEOROLOGICAL REPORT. JANUARY, 1899.

Results of Observations taken during the Month.		Mean for the last 52 years.
Mean Reading of the Barometerinches	29.333	29.451
Highest ,, on the 26th ,,	30.346	30.281
Lowest ,, on the 2nd ,,	28.365	28.595
Range of Barometer Readings,	1.981	1.686
Highest Reading of a Max. Therm on the 21st	53.1	51.4
Lowest Reading of a Min. Therm. on the 27th	20.0	20.6
Range of Thermometer Readings	33.1	30.8
Mean of all the Highest Readings	44.9	42.3
Mean of all the Lowest Readings	33.8	32.5
Mean Daily Range	11.1	9.8
Deduced Monthly Mean (from Mean of Max. and Min.)	39.2	37·1
Mean Temperature from Dry Bulb	39.9	37.2
Adopted Mean Temperature	39.6	37.1
Mean Temperature of Evaporation	38.0	36.0
Mean Temperature of Dew Point	35.9	33.8
Mean elastic force of Vapour inches	0.211	0.196
Mean weight of Vapour in a cub.ft.of air grains	2.4	2.4
Mean additional weight required for saturation,,	0.4	0.4
Mean degree of Humidity (saturation 1.00)	0.87	0.86
Mean weight of a cubic foot of air grains	544.7	549.7
Fall of Raininches	7.209	4.100
Number of days on which Rain fell	24	20.6

JANUARY, 1899.

No. of days in the month on which the prevailing wind was		NE	Е	SE	S	sw	w	NW
		4	0	4	3	8	8	1
Mean Velocity in miles per hour	3.5	4.6	0	7.8	13.6	14.7	13.7	9.9
Total No. of miles for each Direction	250	444	0	752	978	2820	2626	238

The total No. of miles registered during the month was 8108. The max. Velocity of the wind was 63 miles per hour, W., on the 12th at 5-80 and 6-0 p.m.

The lowest ... , 1881 29.2 Greatest fall of rain for the month in 1852 8.147 in Least ,, ,, 1881 0.472 in Least ,, ,, 1881 0.472 in Least ,, ,, 1881 1872 81 1879 8

TABLE OF DIFFERENCES.

The signs + and — mean respectively above and below the monthly average.

Mean barometric pressure 0.118 inches 0.295Monthly range ,, 2.6 degrees Mean of highest temperatures ... 1.3 Mean of lowest 9 9 1.3 Mean daily range ... 99 2.5 Adopted mean temperature 3.109 inches Total rainfall ...

Ground Frost on 1st—3rd, 5th, 6th, 11th—14th, 17th, 18th, 22nd—31st. Hoar Frost on 25th. Hail on 1st, 2nd, 11th, 16th. and 19th. Snow on 1st, 2nd, 11th, 17th, 18th, and 29th. Gales of Wind on 12th and 21st. Heavy Rain 1st, 15th, 17th, 18th, 20th and 21st.

FEBRUARY, 1899.

Results of Observations take	M	Mean for the last							
		52 yes	ars.						
Mean Reading of the Barome		29.	516						
Highest ,,	Highest ,, 30.224								
Lowest ,, · · · ·	n the	e 1 3tl	h ,,	28	•535	İ	28.	702	
Range of Barometer Readings	s		. ,,	1	:689		1.	371	
Highest Reading of a Max. Th	nerm.	on th	ie 10t	h	55.6		ā	2.2	
Lowest Reading of a Min. The	erm.	on th	ne 26t	h	22.7	į	2	22.3	
Range of Thermometer Read	ings				32.9		2	9.9	
Mean of all the Highest Read	dings				46.3		4	4.3	
Mean of all the Lowest Read	ings				33.8		9	3.4	
Mean Daily Range					12 5		1	.0.9	
Deduced Monthly Mean (fron	n Me	an of	Max	٤.					
and Min.)					39.7		3	8.3	
Mean Temperature from Dry					39.6		38.3		
Adopted Mean Temperature					39.7		38.3		
Mean Temperature of Evapora					37.5		36.8		
Mean Temperature of Dew Po	oint	• • • •			34.6		34.6		
Mean elastic force of Vapour					·202		0.193		
Mean weight of Vapour in a cul	o.ft.c	of air	grain	S	$2\cdot3$		2.4		
Mean additional weight required	dfors	satura	ation,	,	0.5		0.4		
Mean degree of Humidity (sat	urati	on 1	00) .	. (0.82		0.87		
Mean weight of a cubic foot of	fair		grain	s 5	46.4		549.0		
Fall of rain		:	inche	s 2	163		3.500		
Number of Days on which rain	n fell				14	1	1	8.1	
	1	1	1	!	1	1			
No. of days in the month on	N	NE	E	SE	s	sw	w	NW	
which the prevailing wind was	4	3	5	0	8	6	$\frac{-}{2}$		
Mean Velocity in miles per hour	4.2	4.2	12.1	0	12.6	12.1	2.1	0	
, , , , , , , , , , , , , , , , , , , ,	1 1	31							
Total No. of miles for each Direction	406	304	1454	0	2417	1744	147	0	

The total number of miles registered during the month was 6472. The max. Velocity of the wind was 40 miles per hour, S.W. by S. on the 9th, at 11 p.m.

FEBRUARY, 1899.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 6.6
In the month of February, the highest reading of the Barome-

ter during 52 years, was on the 11th, in 1849, and was ... 30.452 6th, 1867 The lowest 8th, 1877 The highest Temperature 58.3 18th, 1895 The lowest 8.0 The highest adopted mean temperature of the month, 1869... 44.0 1855.... 28.6 The lowest Greatest fall of rain for the month in * 8.882in 1848 1858 0.306 in Greatest number of days on which rain fell 1868 28 1858 and '95 6 Least ,,

TABLE OF DIFFERENCES.

The signs + and — mean respectively above and below the monthly average.

111011111111111111111111111111111111111				
Mean barometric pressure	• •	••	-	0.093 inches
Monthly range ,,	• •	• •	+	0.318 ,,
Mean of highest temperatures		• •	+	2.0 degrees
Mean of lowest ,,	• •	• •	+	0.4 ,,
Mean daily range ,,			+	1.6 ,,
Adopted mean temperature	• •		+	1.4 ,,
Total rainfall ,,	• •		-	1.337 inches

Ground Frost on the 1st—7th, 13th, 15th, 16th, 17th, 21st—28th. Snow on 1st, 2nd, 4th, 6th. Fog on 16th. Lighting on 8th. Aurora Borealis on 12th. Lunar Halo on 15th. Heavy rain on 9th. Gale of wind on 9th.

MARCH, 1899.

			,,						
Results of Observations tak	M	Mean for the last 52 years.							
Mean Reading of the Barome		29	463						
Highest , on			068						
	the 9		,,	28	3.496			659	
Range of Barometer Reading					.728		1.409		
Highest Reading of Max. The				th	63.6			57.3	
Lowest Reading of a Min. Th					16.0			22.4	
Range of Thermometer Read					47.6			34.9	
Mean of all the Highest Read					49.8			17:3	
Mean of all the Lowest Read	_				33.1			34.0	
Mean Daily Range	0				16.7			3.3	
Deduced Monthly Mean (from									
and Min.)					40.5		Ę	89.8	
Mean Temperature from Dry	Bull	b			40.4		40.0		
Adopted Mean Temperature					40.5	i	39.9		
Mean Temperature of Evapor	ation	1			38.4		38.0		
Mean Temperature of Dew P	oint		• • • • •		35.7		35.4		
Mean elastic force of Vapour			inche	es 0	·210		0.206		
Mean weight of Vapour in a cu	b.ft.c	of air	grain	ıs	2.4		2.4		
Mean additional weight require	ed for	satur	ation	1,,	0.5		0.5		
Mean degree of Humidity (sa	turat	ion 1	.(00).		0.84		0.85		
Mean weight of a cubic foot of	f air		grain	5	49.1		546.4		
Fall of rain					842	į	3.	313	
Number of days on which rain	n fell				15		1	8.1	
	1	1	1	1			1		
No. of days in the month on	N	NE	E	SE	S	sw	w	NW	
which the prevailing wind was	6	2	0	0	2	6	14	1	
Mean velocity in miles per hour	7.9	8.9	0	0	11.7	10 4	12.1	12.4	
Total No. of miles for each Direction	1137	427	0	0	562	1492	4071	297	

The total number of miles registered during the month was 7986. The max. Velocity of the wind was 45 miles per hour, W.S.W , on the 29th at $3\cdot0$ p.m.

MARCH, 1899.

Mean amount of Cloud (an overcast sky being indicated by 10 0) 7.0								
	h of March, th g 52 years, was					30· 401		
The lowest	9 9		3rd, 1	1897	,,	28.157		
The highest	Temperature	,, 2	25th, 1	1871	,,	68.0		
The lowest	91	,,	6th, 1	1886	,,	11.5		
The highest	adopted mean	temperat	ure of	the month	1, 1871	44.0		
The lowest	9.9		9.9	1855 and	1892	35.6		
Greatest fall	of rain during	the mor	nth in		1896	7·079 in		
Least	,,	55			1852	0·352 in		
Greatest nun	nber of days on	which i	ain fel	ll, 1859, 61	, 68 & 72	28		
Least	31	5.5		. **	1852	3		

TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure		••	+	0.149 inches
Monthly range ,,			+	0.319 ,,
Mean of highest temperatur	re		+	2.5 degrees
Mean of lowest ,,		• •	. —	0.9 ,,
Mean daily range ,,			+	3.4 ,,
Adopted mean temperature		• •	+	0.6 ,,
Total rainfall			+	0.529 inches

Ground frost on the 1st—7th, 9th, 10th, 12th, 13th, 16th—27th. Snow on the 4th, 18th—21st, 23rd, and 25th. Hail on the 7th. Heavy rain on the 25th and 30th. Gales of wind on the 28th and 29th.

APRIL, 1899.

					The bottom control of			
Results of Observations take		Mean for the last 52 years						
Mean Reading of the Baromete	59		29.48	35				
Highest ,, on t	60		29.90	34				
Lowest ,, on	the 1	3th	9.9	28.5	92		28.8	10
Range of Barometer Readings			,,	1.2	68		1.13	54
Highest Reading of a Max. The	erm. c	on the	e 27tl	h 60	0.8		65	.9.
Lowest Reading of a Min. Then	m. o	n the	17th	26	3.5		28	.0
Range of Thermometer Readi	ngs			3	4.3		37	.9
Mean of all the Highest Read	ings			59	2.7		55	.8
Mean of all the Lowest Read	ings			3'	7.3		37	.8
Mean Daily Range				-1	5.4		18	.0
Deduced Monthly Mean (from	Mea	n of	Max.					
and Min.)					3.5		44	.5
Mean Temperature from Dry I					4.8	44.6		
Adopted Mean Temperature					4.2	44.6		
Mean Temperature of Evapor					1.6		41	-7
Mean Temperature of Dew P					8.5	38.2		
Mean elastic force of Vapour					234		0.5	36
Mean weight of Vapour in a cub		-			2.7		2	2.7
Mean additional weight required					0.6	0.7		
Mean degree of Humidity (satu			/		.80	0.80		
Mean weight of a cubic foot	of a	ir g	rains	5 54	0.2	542.0		
Fall of Rain		i	nches	s 4·	287		2.3	84
Number of days on which rain	fell.	•••••	•••••	•	22		18	5.8
No. of days in the month on	N	NE	E	SE	s	sw	W	NW
which the prevailing wind was	4	2	0	1	3	3	15	2
Mean Velocity in miles per hour	8.8	9.3	0	14.8	14.6	6.0	12.7	13.9
Total No. of miles for each Direction.	840	446	0	355	1048	435	4579	665

The total No. of miles registered during the month was 8368. The max. Velocity of the wind was 36 miles per hour, W.S.W. on the 5th at 9-0~a.m.

APRIL, 1899.

Mean amount	t of Cloud (an o	vercast	sky being	gindicate	ed by 10·(0) 8.7
In the month	of April, the	highest:	reading o	of the Ba	arometer	
during 52 y	ears, was on t	he 17th,	in 1887	, and wa	as	30.251
The lowest	,,	20th,	1868	25		28.358
The highest 7	remperature	14th,	1852	"	• • • • • •	74.1
The lowest	9 9	13th,	1892	,,		20.8
The highest ac	dopted mean te	mperati	are of the	month,	1865	48.5
The lowest	,,		,,	18	379	40.7
Greatest fall	of rain during	the mor	nth in	1867		5·672 in
Least	,,	,,		1852		0·478in
Greatest num	ber of days on	which:	rain fell	1867		26
Least	**	59		1852		3

TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure	•••	••		0.126 inches
Monthly range ,,	***		+	0.114 ,,
Mean of highest temperatures	3	• •		3·1 degrees
Mean of lowest ,,			-	0.5 ,,
Mean daily range ,,				2.6 ,,
Adopted mean temperature		• •	-	0.4 ,,
Total rainfall		• •	+	1.903 inches

Ground frost on 8th, 9th, 11th, 12th, 13th, 16th—18th, 21st and 23rd, 27th and 30th, Snow on 8th, 11th, 16th, 17th and 18th. Heavy rain on 9th. Hail on 8th, 11th, and 16th. Thunder on 7th, 13th, and 20th.

MAY, 1899.

Result of Observations taken	durin	g the	Mont	h.		1	for last year	
Mean Reading of the Barometer	r	in	ches	29.6	01		29.51	7
Highest , on a	the (ith		30.1	17		29.95	8
· · .	he 1		**	28.9	47		28.94	7
Range of Barometer Readings.			**	1.1	70		1.01	1
Highest Reading of a Max. Ther			31st	72	2.5		72	1
Lowest Reading of a Min. The	rm. c	n the	e 3rd	30	1		31	3
Range of Thermometer Reading	gs .			42	2.4		40	8
Mean of all the Highest Readi	ngs.			58	3.7		59	8
Mean of all the Lowest Readin	gs .			4(0.3		42	.0
Mean Daily Range				18	8.4		17	8
Deduced Monthly Mean (from								ļ
and Min.)				47	7.8		49	·1
Mean Temperature from Dry B				4	8.5		49	.6
Adopted Mean Temperature .				4	8.2		49	.3
Mean Temperature of Evaporat				4	4.4		46	
Mean Temperature of Dew Po				_	0.2		42	.2
Mean elastic force of Vapour					249		0.2	75
Mean weight of Vapour in a cub		0			2.9		3	·1
Mean additional weight required					1.0		0	9
Mean degree of Humidity (satu			-		74		0.	76
Mean weight of a cubic foot of		O			0.2		537	.2
Fall of Rain					137		2 6	46
Number of days on which Rain	n fe	11			17		15	4
No. of days in the month on	N	NE	E	SE	S	sw	w	NW
which the prevailing wind was	4	10	5	0	3	4	5	0
Mean Velocity in miles per hour	4.1	7.4	7 1	0	14.7	6.6	11.0	0
Total No. of miles for each Direction	427	1764	846	0	1059	629	1323	0

The total number of miles registered during the month was 6048. The max. Velocity of the wind was 40 miles per hour, S., on on the 18th at Noon.

MAY, 1899.

Mean amount of Cloud (an overcas	st sky being indicated by 10.0 7.7	
In the month of May, the highes during 52 years, was on the 2nd		
The lowest ,, 28th,	, 1877 , 28.559	
The highest Temperature 19th,	, 1864 ,, 82.5	
The lowest ,, 4th,	1855 ,, 23.5	
The highest adopted mean temper	erature of the month, 1848 55.1	
The lowest ,,	,, 1855 45.0	
Greatest fall of rain during the m	nonth in 1986 6·224 i	in
Least ,, ,,	1859 0 249 i	n
Greatest number of days on which	th rain fell 1872 28	
Least ,, ,,	1853 and 1896 5	

TABLE OF DIFFERENCES.

The signs + and — me	ean	respectively	above	and be	elow the
monthly average.					
Mean barometric pressure			+	0.084	inches
Monthly range ,,			+	0.159	2.2
Mean of highest temperature	es .			1.1	degrees
Mean of lowest ,,	• •			1.7	11
Mean daily range ,,			+	0.6	19
Adopted Mean temperature				1.1	, ,
Total rainfall			+	0.791	inches

Ground Frost on 3rd-7th, 26th, 27th and 28th. Hail on 16th. Thunderstorm 23rd. Distant Thunder on 23rd and 24th. Heavy Rain 23rd. Gale of Wind on 18th.

JUNE, 1899.

Results of Observations taken	durin	ng the	Montl	n,			m for last	
						5	2 year	s.
Mean Reading of the Baromet	er	i	nches	29.0	360	1	29.5	47
Highest ,, or	n the	8th	,,	30.0	082		29.5	00
•	the 2	20th	15	28.9	933		29.0	31
Range of Barometer Readings.			,,	1:0	149		0.8	69
Highest Reading of a Max. The			17th	8	1.5		77	6
Lowest Reading of a Min. Then	m. o	n the	13th	3	7.5		38	8 8
Range of Thermometer Readin	gs .			4	4.0		38	8 8
Mean of all the Highest Reading	ngs .			7	0.3		66	6 0
Mean of all the Lowest Readin	gs .			4	9.0		48	8 0
Mean Daily Range				2	1.3		18	3.0
Deduced Monthly Mean (from and Min.)	Mea	n of	Max	5	7.9		58	5·1
Mean Temperature from Dry H	Bulb.			. 5	9.6		58	5.3
Adopted Mean Temperature				. 5	8.8	55.2		5.2
Mean Temperature of Evapora	ation			5	3.7		52	2.1
Mean Temperature of Dew Po	int .			4	9.2	1	48	3 7
Mean elastic force of Vapour		i	nches	0.	350	1	0.3	54
Mean weight of Vapour in a cub	ft. of	f air g	grains	3	3.9	Ì	({	3.9
Meanadditionalweightrequired	forsa	atura	tion,	,	1.6	1	1	0
Mean degree of Humidity (sat	uratio	on 1·0	00)	. 0	.71		0.	78
Mean weight of cubic foot of a	air	8	grains	5 53	0.5		53:	1.2
Fall of Rain		i	nche	s 1·	780		3.5	44
Number of days on which Rain	n fell	•••	• • • • •		10		10	3·5
No. of days in the month on	N	NE	Е	SE	s	sw	w	NW
which the prevailing wind was	2	2	10	0	1	1	14	0
Mean Velocity in miles per hour	5.7	5.9	7.1	0	7.2	6.7	7.8	0
Total No. of miles for each Direction	274	283	1711	0	172	160	2626	0

The total number of miles registered during the month was 5226. The max. Velocity of the wind was 24 miles per hour, W. N. W., on the 24th at 1-0 p.m.

JUNE, 1899.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 5.9
In the month of June, the highest reading of the Barometer during 52 years, was on the 15th, in 1874, and was30 219
The lowest ,, 23rd, 1893 ,,28·813
The highest Temperature 18th, 1893 ,, 887
The lowest ,, 17th, 1892 ,, 34·1
The highest adopted mean temperature of the month, 1858 59 0
The lowest ,, 1856 and $1860 52.2$
Greatest fall of rain during the month in 1848 7·125 in
Least ,, , 1887 0.525 in
Greatest number of days on which rain fell 1862 27
Least ,, ,, 1887 4
The signs + and — mean respectively above and below the monthly average.
Mean barometric pressure + 0.113 inches
Monthly range ,, + 0.280 ,,
Mean of highest temperatures + 4·3 degrees
Mean of lowest ,, + 1.0 ,,
Mean daily range ,, + 3.3 ,,
Adopted mean temperature + 3.6 ,,
Total rainfall — 1.764 inches
Thunder on the 10th and 20th. Thunderstorm on 28th. Heavy rain on 28th and 30th.

JULY, 1899.

Results of Observations taken	durin	ng the	Mont	h.			an for last year		
Mean Reading of the Baromete	er	ir	nches	29.0	664		29.5	11	
	he 3		11	30.0			29.8	87	
	he 1	lst	95	28.9	993		29.0	03	
Range of Barometer Readings.			,,	1.()57		0.8	84	
Highest Reading of a Max. Therm. on the 31st 80.0 78									
Lowest Reading of a Min. The	erm.	on th	e 8th	4	4.8		42	2.1	
Range of Thermometer Reading	ngs .			3	5·2		36	6.6	
Mean of all the Highest Reading	ngs .			7	0.0		68	3.0	
Mean of all the Lowest Read	ings.			5	2.5		50)·7	
Mean Daily Range				1	7.5		17	7.3	
Deduced Monthly Mean (from and Min.)	Mea	n of	Max.		9.4		57	7.8	
Mean Temperature from Dry E				6	0.0		57	7 8	
Adopted Mean Temperature .				5	9.7		57	7.8	
Mean Temperature of Evapora	ation			. 5	6.6		54	ŀ8	
Mean Temperature of Dew Po	int .			5	3.9		52	2.1	
Mean elastic force of Vapour.		iı	nches	0.4	116	į	0.3	89	
Mean weight of Vapour in a cub	.ft.of	air g	rains		4.6		4	1.2	
Mean additional weight required					1.1		. 1	1.0	
Mean degree of Humidity (sat	urati	on 1	00)	Θ	.82		0.	81	
Mean weight of a cubic foot of	fair.	8	rains	52	8.8		527	7.5	
Fall of Rain		i	nches	2 .	983		4.1	.15	
Number of Days on which rain	fell.		• • • • •		14	-	18	8.0	
No. of days in the month on	N	NE	Е	SE	s	sw	w	NW	
which the prevailing wind was	0	2	2	0	3	3	21	0	
-									
Mean Velocity in miles per hour	0	8.4	9.2	0	7.7	7.9	8.7	0	
Total No. of miles for each Direction	0	405	441	0	553	570	4376	0	

The total number of miles registered during the month was 6345. The max. Velocity of the wind was 29 miles per hour, W.S.W., on the 26th at 6.0 a.m.

JULY, 1899.

Mean amount of Cloud	(an overcast sky b	eing indicate	ed by 10	0) 80
In the month of July, t during 52 years, was				30.112
The lowest ,,	15th, 1	1877 ,,	*****	28.564
The highest Temperatu	re 2 2nd,	1873 ,,		88.2
The lowest	. 1st, 18	57 ,,		. 36 0
The highest adopted m	ean temperature	of the mont	h, 1852	63 0
The lowest ,,		,,	1888	54.5
Greatest fall of rain du	ring the month in	٠	1888	8.602 in
Least .,	,,	***	1868	0.669 in
Greatest number of day	ys on which rain t	ell	1861	30
Least ,,	19		1868	9

TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometic pressure	***	+	0.153 inches
Monthly Range ,,	•••	+	0.173 ,,
Mean of highest temperature	•••	+	2.0 degrees
Mean of lowest ,,	***	+	18 ,,
Mean daily range ,,	•••	+	0.2 ,,
Adopted mean temperature	***	+	1.9 ,,
Total rainfall	• • •	_	1·132 inches

Thunder on 1st, 3rd, 6th and 12th. Lightning on 3rd and 20th. Heavy rain on the 1st.

AUGUST, 1899.

Results of Observations taken	duri)	ng the	Mont	h.		ľ	an for last 2 year	
Mean Reading of the Baromete	er	ir	ches	29.0	85		29.4	92
TT' 1 /	n the		11	30.0			29.8	85
· · · · · · · · · · · · · · · · · · ·	the 3		,,	29.2	205		28.9	57
Range of Barometer Readings	S		11	0.8	316		0.9	28
Highest Reading of a Max. The			e 2nd	8	5-9		77	.3
Lowest Reading of a Min. The					5.8		41	.4
Range of Thermometer Read	ings.			40	0.1		35	.9
Mean of all the Highest Read	ings.			73	3.7		67	.4
Mean of all the Lowest Read	ings.			55	2.2		50	.5
Mean Daily Range				2	1.5		16	8.9
Deduced Monthly Mean (from	Mea	n of	Max.					
and Min.)				6:	1.3		57	
Mean Temperature from Dry 1	Bulb				2.0			'.6
Adopted Mean Temperature					1.7	57.4		·4
Mean Temperature of Evapor				_	8.7	54.6		
Mean Temperature of Dew Po					6.5	51.9		
Mean elastic force of Vapour		iı	iches	0.4	152		0.3	88
Mean weight of Vapour in a cub	.ft.of	air g	rains		5.0		1	1.3
Mean additional weight required				•	1.2		(0.9
Mean degree of Humidity (sat			-		·8 3		-	82
Mean weight of a cubic foot	of a	irg	rains	52	6.5		527	7.3
Fall of Rain					360		5.0	93
Number of days on which Rain	n fell	• • •	• • • • •		13		19	9
No. of days in the month on	N	NE	E	SE	S	sw	w	NW
which the prevailing wind was	9	6	3	1	1	1	10	0
Mean Velocity in miles per hour	4.8	8.5	6.9	8.4	7.0	7.9	8.4	0
Total No. of miles for each Direction	1034	1219	500	201	168	190	2011	0

The total number of miles registered during the month was 5323. The max. Velocity of the wind was 27 miles per hour, W. on the 17th, at Noon.

AUGUST, 1899.

Mean amoun	it of Cloud (an o	vercast sky being	g indicated by 10	.0) 6.6
In the month	of August, the	highest reading	of the Baromete	r
during 52	years, was on t	he 21st, in 1874,	and was	30.114
The lowest	,,	31st, 1876	,,	28 555
The highest	Temperature	2nd, 1868	,,	88.0
The lowest	,,	13th, 1887	,,	33.4
The highest	adopted mean	temperature of	the month, 1899	61.7
The lowest	93	9 9	1848	52.5
Greatest fall	of rain during	the month in	1891	9.869 in
Least	9.9	, ,	1871	2·085 in
Greatest nur	nber of days or	which rain fell	1860	28
Least	"	99	1880	6

TABLE OF DIFFERENCES.

The signs + and — mean respectively above and below the monthly average.

monthly average.				
Mean barometric pressure			+	0·193 inches
Monthly range ,,	***	***		0.112 ,,
Mean of highest temperature	es		+	6.3 degrees
Mean of the lowest ,,	***	•••	+	1.7 ,,
Mean daily range ,,	•••	•••	+	4.6 ,,
Adopted mean temperature	***	•••	+	4.3 ,,
Total rainfall				2.733 inches

The highest adopted mean temperature for the month of August during the last 52 years occurred this year, and was 61.7. Thunder on 4th, 6th, 27th, 28th, 29th and 31st. Lightning on 4th, 5th, 6th, 27th and 29th. Lunar Halo 19th. Heavy Rain on 29th,

SEPTEMBER, 1899.

Results of Observations take	en du	ring	the M	onth.		1	last 2 year	
Mean Reading of the Barome	eter	:	inche	s 29	387		29	518
Highest "	0	n the	e 10tl	h 29	824		30.0	024
Lowest ,,	(on th	e 30tl	h 28	837		28.8	352
Range of Barometer Readings				. 0	987		1.1	172
Highest Reading of a Max. The	erm.	on th	ie 5tl	h 7	75.5		7	2.7
Lowest Reading of a Min. The	rm. c	on the	e 27th	a a	32.9		3	6.3
Range of Thermometer Reading	ngs			. 4	12.6		3	6.4
Mean of all the Highest Read	ings			. (32.6		6	2.4
Mean of all the Lowest Readi	ngs			. 4	15.4		4	7.0
Mean Daily Range				. 1	17.2	1	1	5.4
Deduced Monthly Mean (from	Mea	an of	Max					
and Min.)					52.7			3.2
Mean Temperature from Dry I					54.1			4.1
Adopted Mean Temperature					33.4			3.8
Mean Temperature of Evapor					60.4			1.0
Mean Temperature of Dew Po					17.4			8.3
Mean elastic force of Vapour					327			339
Mean weight of Vapour in a cul		`			3.7			4.0
Mean additional weight required					0.9	1		0.8
Mean degree of Humidity (sat					0.80			82
Mean weight of a cubic foot of		,			30.3		539	
Fall of Rain					139		4.6	
Number of days on which Ra	in fe	II		•	23	1	18	8.9
No. of days in the month on	N	NE	E	SE	S	sw	w	NW
which the prevailing wind was	0	2	2	0	1	4	21	0
Mean Velocity in miles per hour	0	4.5	7.3	0	7.7	86	128	0
Total No. of miles for each Direction.	0	217	348	0	184	821	6429	0
The total number of miles re	ricto	mod d	linc	v + h =	D2 0 D	4 la	500	20

The total number of miles registered during the month was 7999. The max. Velocity of the wind was 38 miles per hour on the 18th and 22nd, W. by S., at 1 p.m.

SEPTEMBER, 1899.

Mean amount of Cloud (an overc	ast sky being	gindicated	d by 10·0	7.6
In the month of September, th	e highest rea	ading of	the Bar-	
ometer during 52 years, was or	n the 15th, i	n 1851, an	ıd was	30.274
The lowest ,,	25th, 18	96	,,	28:314
The highest Temperature	6th, 18	. is	,	85.0
The lowest ,,	25th, 1885,	and 30th	, 1888	29.8
The highest adopted mean temper	erature of the	e month,	1865	59.1
The lowest ,,	,,		1863	50.9
Greatest fall of rain during the	month in		1869	9.539 in
Least ,,	2.3	• •	1894	0.801in
Greatest number of days on wh	ich rain fell	• •	1866	30
Least ,,	,	1851 and	1894	6

TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

 • •	_	0.131 inches	
 • •		0.185 ,,	
 • •	+	0.2 degrees	
 		1.6 ,,	
 	-+1	1.8 ,,	
 • •		0.4 ,,	
 	+	4.476 inches	
••		· · · · · · · · · · · · · · · · · · ·	— 0·185 ,, + 0·2 degrees — 1·6 ,, + 1·8 ,, — 0·4 ,,

Ground Frost on the 15th, 28th, and 29th. Hail on the 20th, 22nd, 26th, and 27th. Thunder on the 9th, 22nd, and 27th. Lightning on the 23rd, 27th, 28th, and 29th. Heavy rain on 15th, 19th, 20th, 21st, 22nd, 25th, and 29th. Gales of wind on 18th, 22nd, and 26th.

	OCTOBER, 1899.									
	Results of Observations tal	sen du	ring t	he Mo	nth.		1	Me in for the last 52 years		
	Mean Reading of the Barome	eter .		.inch	es 29	0.616	1	29	.429	
		on the				0.036		30	023	
-		n the	1st	,,	28	3.784		28	644	
	Range of Barometer Readi	ngs.			1	.252	1	1.	379	
1	Highest Reading of a Max. Th	nerm.	on t	he 181	th	64.0		(34.4	
	Lowest Reading of a Min, T	herm	on	the 6	th	29.6		2	28.8	
	Range of Thermometer Read	lings				34.4	1	35 6		
ĺ	Mean of all the Highest F	Readi	ngs			56.7		54 6		
	Mean of all the Lowest Readings 38.9								115	
	Mean Daily Range 17.8								13-1	
1	Deduced Monthly Mean (from Mean of Max.									
-	and Min.)									
	Mean Temperature from Dry Bulb 46.7								47.6	
	Adopted Mean Temperature 46.8							47.4		
	Mean Temperature of Evapor					45.1		45.2		
-	Mean Temperature of Dew P					43.2	1	42.7		
	Mean elastic force of Vapour					280	1	0.275		
	Mean weight of Vapour in a cu			_		3.2			3.1	
	Mean additional weight require					0.5			0.6	
1	Mean degree of Humidity (sa					0 88		0	.84	
	Mean weight of a cubic foot of			0		41.8		53	7.6	
	Fall of Rain					071		4	960	
	Number of days on which Ra	in fel	l	• • • • •	•	12		2	1.1	
No commence of the local division in		N	NE	E	SE	S	sw	w	NW	
	No. of days in the month on which the prevailing wind was	11	2	2	0	0	7	8	1	
							,	-	1	
	Mean Velocity in miles per hou	4.8	8.8	10.6	0	0	9.2	9.0	15.5	
	Total No. of Miles for each Direction	1260	421	510	0	0	1547	1725	371	
	The total number of miles r	00:040	L	J	(1		. 7	×0.		

The total number of miles registered during the month was 5834. The max. Velocity of the wind was 35 miles per hour, S.W., on the 3rd at noon.

OCTOBER, 1899.

Mean amount	of Cloud (an ov	ercast sky bei	ng indicat	ed by 10	0) 5.6
	of October the 52 years, was o				
The lowest	,,	1 9th,	1862 ,,		28.139
The highest	Γemperature	9th,	1869 ,,		72.8
The lowest	99	28th,	1895 ,,		17.8
The highest a	dopted mean ter	nperature of t	he month	,1861&'7	6 51.6
The lowest	,,	19		1895	42.8
Greatest fall	of rain during tl	ne month in	• •	1870	13·437in
Least	,,	2.7	• •	1856	1:328in
Greatest num	ber of days on v	which rain fel	1	1873	31
Least	**	21	1881-'87	'97-'99	12

TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure			+	0.187 inches
Monthly range ,,	***	•••		0.127 ,,
Mean of highest temperatur	es	• • •	+	2·1 degrees
Mean of lowest ,,	• • •	***	_	2.6 ,,
Mean daily range ,,	***	•••	+	4.7 ,,
Adopted mean temperature		•••	_	0.6 ,,
Total rainfall			-	1.889 inches

Ground Frost on 4th—7th, 9th, 14th, 15th, 19th—21st, 24th, 25th and 31st. Hail on 12th, 30th and 31st. Lightning on 30th. Fog on 6th, 11th and 23rd Heavy rain on 29th.

NOVEMBER, 1899.

Results of Observations take	en du	ring th	ne Mor	nth.		M	lean fo last 52 yea	t		
Mean Reading of the Barome	eter.		inche	es 29	.666		29.	346		
Highest ,, on	the	17th	,,	30	.319		30	066		
Lowest ,, on	the	3rd	,,	28	.518		28.	560		
Range of Barometer Reading	s		,,	1	801		1.	506		
Highest Reading of a Max. The	erm (on 2n	1&4t	h	61.0		5	66.0		
Lowest Reading of a Min. Th	erm.	on th	ie 17t	h	26.9		25.5			
Range of Thermometer Read	ings				34.1		g	80.5		
Mean of all the Highest Re	Mean of all the Highest Readings 52.8							7.4		
Mean of all the Lowest Readings 41.3							9	6.5		
Mean Daily Range					11.5		1	0.9		
Deduced Monthly Mean (from	ı Me	an of	Max	٤.						
and Min.)							4	1.6		
Mean Temperature from Dry Bulb 47.3								41.8		
Adopted Mean Temperature 47.0								41.7		
Mean Temperature of Evaporation 45.0							39.5			
Mean Temperature of Dew Pe					42.8		38.1			
Mean elastic force of Vapour					275		0.231			
Mean weight of Vapour in a cul			_		3.2		2.7			
Mean additional weight require					0 5		0.4			
Mean degree of Humidity (Sa			,		0.86		0.87			
Mean weight of a cubic foot of					42·5		5.449			
Fall of rain					275		4.344			
Number of days on which Ra	ain fe	ell	• • • •		17		1	9.9		
No. of days in the month on	N	NE	E	SE	s	sw	w	NW		
which the prevailing wind was	0	5	0	0	6	7	12	0		
Mean Velocity in miles per hour	0	4.6	0	0	20.8	10.5	14.9	0		
Total No. of miles for each Direction	0	551	0	0	2992	1771	42 98	0		
*								-		

The total number of miles registered during the month was 9612. The max. Velocity of the wind was 58 miles per hour, S. by E. on the 3rd at 2 p.m.

NOVEMBER, 1899.

Mean ar	mount of Cloud	(an overcast	sky bein	g indica	ted by 10	0) 8.8
In the momete	nonth of Noven r during 52 year	ber, the highers was on the	ghest readle 12th, i	ding of n 1857,	the Bar- and was	30.350
The low	vest	,,	11th,	1891	11	27.938
The high	hest Temperatu	ire	2nd,	1894	22 '	62.0
The low	rest	11 .	17th,	1861	,,	19.1
	ghest adopted	mean tem	perature	of the	month,	47.0
The low	est ,	,		,,	1851	36.7
Greatest	fall of rain du	ring the mo	onth in	• •	1866	9·026in
Least	99	,,			1855	1·158in
Greatest	number of day	s on which	rain fell	• •	1872	29
Least	2 9	,,		••	1855	8

TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure	• •	••	+	0.320 inches
Monthly range ,,			+	0 295 ,,
Mean of highest temperature	es		+	5.4 degrees
Mean of lowest ,,			+	4.8 ,,
Mean daily range ,,			+	0.6 ,,
Adopted mean temperature	• •	• •	+	5.3 ,,
Total rainfall		••	_	1.069 inches

Ground Frost on 4th, 16th, 17th, and 18th. Hail on 3rd and 11th. Distant thunder on 2nd Thunderstorm on 8th. Fog on 18th. Gales of wind on 3rd, 4th, 7th, 10th and 11th. Heavy rain on 7th and 26th.

DECEMBER, 1899.

Results of Observations taken	durin	ng the	Mont	h.			en for last years	
Mean Reading of the Baromete	er.	i	nches	29.	142	1	29 4	55
Highest o	n the	e 3rd	,,	30.0	88		30 0	74
Lowest ,,.	n the	e 29tl	h ,,	27:	975		28.5	75
Range of Barometer Readings.			. ,,	2.	113		1.4	99
Highest Reading of a Max. The	erm.	on th	e 6th	. 5	$3 \cdot 2$		53	.2
Lowest Reading of a Min. Then	rm. o	n the	27th	1	1.2		20	1
Range of Thermometer Readin	gs .			4	2.0		33	1:1
Mean of all the Highest Readi	ngs.			. 4	0.7		43	3.2
Mean of all the Lowest Reading	ngs .			. 2	8.9		32	9.9
Mean Daily Range				. 1	1.8	į.	10	3
Deduced Monthly Mean (from and Min)					4.8		38	3 0
Mean Temperature from Dry I	Bulb.			. 3	5.6		38	3.7
Adopted Mean Temperature				3	5 2		38.4	
Mean Temperature of Evapora	tion			3	3.8		36.8	
Mean Temperature of Dew Po	int .			. 8	1.6		34 9	
Mean Elastic force of Vapour		i	nche	s 0.	178		0.2	05
Mean weight of Vapour in a cubi	cft.c	f air	grain	ıs	2.1		2	2.4
Mean additional weight required	fors	atura	ation,	,	0.3		. () 4
Mean degree of Humidity (sat	urat	ion 1	.(00)	. (86		0	87
Mean weight of a cubic foot of	air .		grain	s 5	51.9		548	3.3
Fall of Rain				. 4	111		4.5	10
Number of days on which Rain	fell.	• • • •	• • • •	•	16		20	0.8
No of down in the month on	N	NE	E	SE	S	sw	w	NW
No. of days in the month on which the prevailing wind was	6	5	6	2	.088 30 074 .975 28.575 .113 1.499 .53.2 53.2 .11.2 20 1 .42.0 33.1 .40.7 43.2 .28.9 32.9 .11.8 10 3 .34.8 38 0 .35.6 38.7 .35.2 38.4 .33.8 36.8 .31.6 34.9 .178 0.205 .2.1 0.4 .086 0.87 .51.9 548.3 .4.111 4.510 .16 20.8 .86 11.9 9.7 1	1		
Mean Velocity in miles per hour	4.0	5.6	8.0	4.4	8.6	11.9	9.7	1.3
Total No. of Miles for each Direction	580	673	1152	211	414	854	1391	32

The total number of miles registered during the month was 5307. The max. Velocity of the wind was 35 miles per hour, S.S.E., on the 16th, at 3 p.m.

DECEMBER, 1899.

Mean amour	nt of Cloud (an ove	rcast sky being indi	cated	by 10	0.0) 8.2
		e highest reading on the 22nd, in 184			
The lowest	,,	8th, 1886	,,		27 350
The highest	Temperature	9th, 1876	,,		58.1
The lowest	99	24th, 1860	,,		6.7
The highest	adopted mean tem	perature of the m	onth	1857	44.6
The lowest	,,	1878	2.3		30.3
Greatest fall	of rain during the	month 1880		9	·211 in.
Least	9.9	1890		0	550 in.
Greatest nur	nber of days on wh	nich rain fell 1868			31
Least		1890			8

TABLE OF DIFFERENCES.


The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure		• •	provinces.	0.013 ir	ches
Monthly range ,,			+	0.614°	9 9
Mean of highest temperatu	ires	• •		2.5 deg	grees
Mean of lowest ,,				4.0	9 1
Mean daily range ,,	1		+	1.5	9.9
Adopted mean temperature	S		_	$3\cdot 2$,,
Total rainfall		• •		0.339 in	ches

Ground Frost on the 2nd, 3rd, 7th—18th, 20th—23rd, 25th—28th, 30th and 31st. Snow on 11th—14th, 22nd, 25th, 26th, 28th. Hoar Frost on 27th. Hail on 25th, 28th and 31st. Heavy rain on 4th and 29th. Fog on 26th and 27th. Lunar Halo on 8th, 11th and 13th.

Summary of Observations, 1899.										
Results of Observations	taken	duri	ng th	e Yes	r.		lean for last 52 year			
Mean Reading of the Baron	neter	· . .	ind	ches	29.537		29.4	93		
Highest ,, on J	anua	ry 2 6	th	,,	30·346		30.2	83		
Lowest ,, on D	ecem	ber 2	9th	"	27.975		28.2	59		
Range of Barometer Read	ings			,,	2.371		2.0	24		
Highest Reading of a Max.	Γherr	n. on	Aug.	2nd	85.9		81	1.7		
Lowest Reading of a Min. T	herm	. on]	Dec. :	27th	11.2		18	5.4		
Range of Thermometer Rea	ading	s			74.7		66	3.3		
Mean of all the Highest R	eadir	ıgs			56.6		54	1.9		
Mean of all the Lowest Readings 40.5 40.6										
Mean Daily Range 16·1 14·3										
Deduced yearly Mean (from Mean of Max. and Min.) 47.5 46.8										
Mean Temperature from I	ry B	ulb			48.2		40	8.8		
Adopted Mean Temperatu	re				47.9		46	3.8		
Mean Temperature of Evap	orat	ion			45.3		44	1.2		
Mean Temperature of Dew	Poir	nt			42.4		49	2.1		
Mean elastic force of Vapo	ur		ind	ches	0.282		0.2	73		
Mean weight of Vapourina	cub. f	ft. of a	air gr	ains	3.2		6	3.3		
Mean additional weight requ	ired i	forsa	turat	ion,	0.8	3	().7		
Mean degree of Humidity	(satu	ratio	n 1.00	0)	0.82	2	0.	84		
Mean weight of a cubic for	ot of	air	gr	ains	539.4		539	9.2		
Total fall of rain in the year	ar		in	ches	47.657	7	47.1	.72		
Number of days on which	Rai	n fell		•••••	1.6 • 4	-	18	8.6		
Summ	ARY	OF	W	IND.						
No of days in the year on	N	NE	E	SE	s	sw	w	NW		
which the prevailing wind was	49	45	35	8	33	53	136	6		
Mean Velocity in miles per hour	5.3	6.6	8.3	7.9	13.3	10.2	10 9	11:		
Total No. of miles for each Direction	6208	7154	6962	1519	10547	13033	35602	160		

The total No. of miles registered during the year was 82628. The max. Velocity of the wind was 63 miles per hour, W., on 12th January, at 5.30 and 6.0 p.m.





SUMMARY, 1899.

The Maximum monthly mean height of the Barometer was	
in February, 1891, and wasinches	29.997
The Minimum ,, ,, in December, 1868, and was	28.984
The Maximum yearly mean height of the Barometer was in 1896, and wasinches	29.584
The Minimum ,, ,, in 1886, and was	29.389
The greatest monthly range of the Barometer was in January, 1884, and wasinches	2.409
The least ,, ,, in July, 1852, and was ,,	0.505
The highest reading of the Barometer during 52 years was on January 9th, 1896, and wasinches	30.597
The lowest ,, ,, on December 8th, 1886, and was	
Extreme rangeinches	3.247
The highest temperature was on June 18th, 1893, and was	88 7
The lowest ,, ,, January 15th, 1881	4.6
The highest adopted mean temperature of a month, July 1868, and was	62.4
The lowest ,, ,, February, 1855	28 6
The highest adopted mean temperatures of a year, 1868	49.1
The lowest ,, ,, ,, 1879	44.1
The greatest monthly mean weight of vapour in a cubic foot of air grains July, 1852	5 ·1
The least ,, February, 1855, and 1895 grains	1.4
The greatest fall of rain in a month, was in October, 1870, and wasinches	
The least ,, ,, May, 1859 ,,	0.249
The greatest number of days on which rain fell in one month, January, 1872, October, 1873, December, 1868	
The least ,, ,, March, 1852	3
The greatest fall of rain in one year in 1866 inches	
The least ,, ,, ,, 1887 ,,	31.250
The greatest number of days in one year on which rain fell 1872	319
The least ,, ,, ,, 1855	148

	Heavy Rain.	1,15,17,18,20,21	25, 30 9 93	28. 30 1 29	15,19,20,21,22,25, 29 [29	7, 26 4. 29	Solar Halo.						
ENA.	Hail	1, 2, 11, 16, 19	8, 11, 16		, 27	3, 11 25, 28, 31	Lunar Halo.	15		19		8, 11, 13	
PHENOMENA.			20		20, 2		Lightning.	œ	5 5 3 28 3	3, 20 4, 5, 6, 27, 29	23, 27, 28, 29 30	∞	he evening.
ONAL	st. Snow.	1, 2, 11, 17, 18, 29	4, 18—21, 23, 25 8, 11, 16, 17, 18			11-14.22,25,26,28	nder		7, 13, 20 23, 24 10, 20, 28	5, 12 28, 29, 31	2, 27	2, 8	uary during t
CASIC	Hoar Frost.	52				27	Thunder		7, 13	1, 3, 6, 12 4, 6, 27, 28, 29, 31	9, 22, 27 30	Ø,	2th of Jan
DATES OF OCCASIONAL	st.	, 17. 18. 22—31 -17. 21—28	. 13, 16—27 8, 21—23, 27, 30	0 7	, 29 —21, 24, 25, 31	-18 3, 25—28, 30, 31	Fog.	16			6, 11, 23	18 26, 27	Aurora Borealis on 12th of January during the evening
DATES	Frost.	1-3, 5, 6, 11-14, 17, 18, 22-31 1-7, 13, 15-17, 21-28	8, 9, 11—13, 16—18, 21—23, 27, 30	9-1, 50	15, 28, 29 4—7, 9, 14, 15, 19—21, 24, 25, 31	4, 16—18 2. 3. 7—18, 20—23, 25—28, 30, 31	Gales of Wind.	12, 21 9 28, 29	18		18, 22, 26	3, 4, 7, 10, 11	Aur
-	1899.	January February	March April	June July Angust	September October	November December	1899.	January February March	April May Iune	July August	September October	November December	

8-9 9-10 10-11 11-12 12-1 1-2 2-3 3-4 4-5 5-6 6-7 9-6 1.7 3-1 5-3 7.7 4-8 4-2 0-2 0 0 9-8 11-1 13-1 13-1 12-1 12-2 3-3 4-5 5-6 6-7 9-8 11-1 12-4 16-0 17-1 17-1 15-8 12-8 9-0 2.7 0 11-2 12-4 16-0 17-1 17-1 15-8 12-8 9-0 2.7 0 11-2 12-4 16-0 17-1 17-1 15-8 12-8 9-0 2.7 0 11-2 12-4 16-0 17-1 17-1 16-0 17-2 2.7 0 11-2 12-6 12-1 17-1 14-3 14-5 13-7 13-7 14-8 11-2 13-0 15-1 14-7 14-3 14-5 13-7 1	0
8-9 9-10 10-11 11-12 12-1 4-5 5 9-6 1-7 3-1 5-8 7-7 4-8 4-5 5 9-6 1-7 3-1 5-8 7-7 4-8 4-5 5 9-8 11-1 12-4 16-0 17-1 17-1 15-8 19-8 9-0 11-2 12-6 13-5 13-9 12-6 8-8 5-1 0-3 9-8 11-1 12-4 16-0 17-1 17-1 15-8 19-8 9-0 2 11-2 12-7 12-1 12-6 10-8 10-5 7-2 6-9 7 11-2 12-7 12-1 12-6 10-8 10-5 7-8 9-0 2 11-2 12-6 12-7 14-7 14-7 14-7 14-8 14-5 18-7 18 11-3 13-6 13-6 14-7 14-7 14-7 18-8 16-9 17-9<	9.7
8-9 9-10 10-11 11-12 12-1 4-5 5 9-6 1-7 3-1 5-8 7-7 4-8 4-5 5 9-6 1-7 3-1 5-8 7-7 4-8 4-5 5 9-8 11-1 12-4 16-0 17-1 17-1 15-8 19-8 9-0 11-2 12-6 13-5 13-9 12-6 8-8 5-1 0-3 9-8 11-1 12-4 16-0 17-1 17-1 15-8 19-8 9-0 2 11-2 12-7 12-1 12-6 10-8 10-5 7-2 6-9 7 11-2 12-7 12-1 12-6 10-8 10-5 7-8 9-0 2 11-2 12-6 12-7 14-7 14-7 14-7 14-8 14-5 18-7 18 11-3 13-6 13-6 14-7 14-7 14-7 18-8 16-9 17-9<	43.6
S-9 9-10 10-11 11-12 12-1 1-2 2-3 3-4 4-5 S-9 9-10 10-11 11-12 12-1 1-2 2-3 3-4 4-5 O-6 1-7 3-1 5-3 7-7 4-8 4-2 0-2 0-5 S-2 9-0 12-1 13-5 13-9 12-6 8-3 5-1 0-3 9-8 11-1 12-4 16-0 17-1 17-1 15-8 12-8 9-0 11-2 12-6 12-7 12-1 12-6 10-3 10-5 7-2 6-9 14-5 13-5 14-0 15-1 12-6 10-3 10-5 7-2 6-9 14-5 13-5 14-0 15-1 12-6 13-7 13-7 19-4 20-2 22-7 21-6 20-0 13-0 13-4 12-2 8-9 11-9 12-6 12-3 14-0 13-9 13-0 13-4 12-2 8-9 11-0 13-3 18-7 16-5 17-0 17-5 17-5 13-5 5-4 0-2 1-7 5-0 7-3 9-1 6-9 5-6 1-5 0-3 0-2 3-6 4-0 4-0 2-9 1-7 0 0 0-2 3-3 3-6 4-0 4-0 2-9 1-7 0 0 0-2 3-3 3-6 4-0 4-0 2-9 1-7 0 0 0-2 3-3 3-6 4-0 4-0 2-9 1-7 0 0 0-2 3-3 3-6 4-0 4-0 2-9 1-7 0 0 0-2 3-3 3-6 4-0 4-0 2-9 1-7 0 0 0-2 3-3 3-6 4-0 4-0 2-9 1-7 0 0 0-2 3-3 3-6 4-0 4-0 2-9 1-7 0 0 0-2 3-3 3-6 4-0 4-0 2-9 1-7 0 0 0-2 3-3 3-6 4-0 3-6 1-7 0 0 0-2 3-3 3-6 4-0 3-6 1-7 0 0 0-2 3-3 3-6 4-0 3-6 1-7 0 0 0-2 3-3 3-6 3-	23.6
S-9 9-10 10-11 11-12 12-1 0-6 1-7 3-1 5-3 7-7 3-2 9-0 12-1 13-5 13-9 11-2 11-2 12-6 12-7 12-1 12-6 11-7 11-2 12-6 12-7 12-1 12-6 11-7 11-2 12-6 12-7 12-1 12-6 11-7 12-3 11-1 12-1 11-9 13-5 13-4 20-2 22-7 21-6 20-0 11-2 12-6 12-3 14-0 12-9 11-2 12-6 12-3 14-0 12-9 11-3 13-6 12-3 14-0 12-9 11-0 13-3 18-7 16-5 17-0 0-2 1-7 5-0 7-3 9-1 0-2 1-7 5-0 7-3 9-1 0-3 3-6 4-0 4-0 0-4 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5	
S-9 9-10 10-11 11-12 12-1 0-6 1-7 3-1 5-3 7-7 3-2 9-0 12-1 13-5 13-9 11-2 11-2 12-6 12-7 12-1 12-6 11-7 11-2 12-6 12-7 12-1 12-6 11-7 11-2 12-6 12-7 12-1 12-6 11-7 12-3 11-1 12-1 11-9 13-5 13-4 20-2 22-7 21-6 20-0 11-2 12-6 12-3 14-0 12-9 11-2 12-6 12-3 14-0 12-9 11-3 13-6 12-3 14-0 12-9 11-0 13-3 18-7 16-5 17-0 0-2 1-7 5-0 7-3 9-1 0-2 1-7 5-0 7-3 9-1 0-3 3-6 4-0 4-0 0-4 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5	122.6
S-9 9-10 10-11 11-12 12-1 0-6 1-7 3-1 5-3 7-7 3-2 9-0 12-1 13-5 13-9 11-2 11-2 12-6 12-7 12-1 12-6 11-7 11-2 12-6 12-7 12-1 12-6 11-7 11-2 12-6 12-7 12-1 12-6 11-7 12-3 11-1 12-1 11-9 13-5 13-4 20-2 22-7 21-6 20-0 11-2 12-6 12-3 14-0 12-9 11-2 12-6 12-3 14-0 12-9 11-3 13-6 12-3 14-0 12-9 11-0 13-3 18-7 16-5 17-0 0-2 1-7 5-0 7-3 9-1 0-2 1-7 5-0 7-3 9-1 0-3 3-6 4-0 4-0 0-4 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5 0-5	150.5
	9.7.61
	164.7
	159.5
	150.3
	129.2
E. T.8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	112.9
	9.67
~	51.1
S 5.6 0 0 0 0 0 0 0 0 0	5. 5. 5.
TABLES me. 4-5 5-6 - 0 0 - 0 0 - 0 00 - 0 00 - 0 0 00 - 0 0 00 - 0 0 0 0	ن ث
L L L L L L L L L L L L L L L L L L L	
r HII y ury t t t t nber nber	=
MONTHLY T	Total

Υ.	17	3.9	5.1	6.5	8.50	0.9	13.9	9.11	9.50	3.4	9.0	3.0	0
DAY.	16	8.0	1.5	0.2	2.9	2.2	15.2	12.2	9.5	0.01	7.8	4.0	9.0
H	15	0	5.6	7.8	6.0	1.9	13.7	9.6	2.2	2.7	2.8	1.0	0
EACH	14	4.7	5.5	0	Ξ	2.0	13.6	4.4	0.9	0.2	80 30	1.7	1.7
	13	0	9.0	0	8.0	0	14.3	13.1	12.8	0.3	3.0 0.0	5.5	0
ON	12	90	3.6	2.6	9.9	0	14.7	0.0	2.6	2.2	0	0	0
RECORDED	11	0	4.5	1.9	9.7	0	10.3	0.3	11.4	0.5	0	2.5	1.9
RD	10	0	1.2	3.8	1.9	7.3	10.8	0	11.8	0	2.0	0.2	
CO	6	0	0	2.3	0.4	3.1	12.0	5.00	12.1	9.0	4.8	0.9	0
RE	∞	0	0	1.3	2.8	13.4	19.7	8.0	11.8	4.3	5.5	4.0	0
田田	2	0	0	2.6	1.3	14.3	14.2	5.0	1.2	2.6	4.8	0	0
TIL	9	0	0	4.3	3.8	19.7	14.4	4.5	1.4	0.0	5.0	3.7	0
SUNSHINE	70	3.5	0	5.8	မာ ထ်	13.3	12.0	6.9	00 00	8.9	6.9	5.6	0
SU	4	0	0	0.5	2.1	11.7	14.0	13.2	5.8	2.8	8.9	2.0	0
OF	ಣ	2.1	4.0	6.0	0	2.6	13.4	2.5	8.7	3.0	0	0	0
	62	0	60	0.2	0	1.5	9.1	0.3	11.8	7.4	1.6	6.0	80 80
AMOUNT	-	0.4	4.8	6.5	ಣ	0	8.4	1.9	13.8	4.7	1.00	1.8	0
MOI			•					٠	•	•			•
A				,	1			•			- 1	٠	
	H.	,	'										
	fonth.	,	y	,				•		er-	٠	er -	- 1a
TOTAL	Month.	January	February -	March -	April -	May .	June -	July -	August -	September-	October -	November -	December -

DAY.	Per centage each month	11:1	28.8	35.7	27.7	9.98	53.1	36.2	51.5	33.2	41.4	14.7	8.0
EACH	Monthly Total.	27.6	78-2	130.4	115.9	180.3	7-692	184.1	235.2	125.9	134.9	9.78	18.5
NO	31	0	0	0	0	12.1	0	11.6	3.0	0	8.9	0	2.7
	30	0	0	4.2	11.8	13.1	7.5	14.1	6.5	I.ũ	6.3	2 9	0.5
RECORDED	29	0.3	0	0.9	6.61	12.3	9.4	0	5.6	4.8	0	0	0
OKI	28	0	4.7	0	0.1	13.3	0.5	7.5	9.2	2.1	6.6	0	0
ECC	27	3.9	2.7	5.9	60 60	8.1	0.3	2.6	1.8	3.7	0	0	0
	26	0	9.9	9.0	9.2	8	3.6	8.9	8.1	٠ ن	0	2.0	8.0
HINE (Continued	25	1.0	8.9	0	1.9	3.1	6.0	1.2	2.8	1.5	0	0	2.3
SUNSHINE (Continued	24	4.9	1.9	10.3	0	0	1.6	12.7	11.0	3.6	2.2	0.4	90
NS	23	2.0	5.3	10.5	5.0	1.4	2.0	0.5	10.7	3.4	2.2	0	0
Sf	66	0 4	8.0	0.6	0.5	0	0	0	11.6	5.4	1.9	0	0
OF	21	0	9.9	5.1	5.0	0	7.9	20.00	& &	4.7	٠. ح	1.8	0
LZ	20	0	0	s.	0.5	2.2	1.9	1.7	99	2.2	0.9	0	0
JUC	19	2.0	0	7.3	7.3	1.8	10.5	5.5	9.9	0.4	7.4	0	0
AMOUNT	18	0	0	4.7	10.1	9.0	0.4	10.3	0	4.0	9. L	0	8.0
		•	•		•	,	•	•	*	٠		1	1
TOTAL	Month.	January -	February -	March -	April -	May -] June -	July -	August -	September	October -	November	December -

SUMMARY OF SUNSHINE.

	Number of	Amount	Per	Mean f	or the last	19 Years.
1899.	days on which Sunshine was recorded.	or Total Number of Hours	centage of possible Sunshine.	Days.	Amount	Per centage of possible Sunshine
January	14	27.6	11.1	13.8	34.9	14.1
February	19	78.2	28.8	17.6	59.9	21.8
March	26	130.4	35· 7	23.8	107.0	29.2
April	27	115.9	27.7	25.8	144-2	34.4
May	24	180.3	36.6	27.7	195.7	39.7
June	29	269.7	53·1	27.4	193.5	38.1
July	28	184.1	36.2	28.4	176.9	34.7
August	30	235.2	51.5	27.6	147.2	32.2
September	29	125.9	33.2	25.4	122 7	32.4
October	24	134 9	41.4	23.0	88 6	27.2
November	18	37.6	14.7	16.5	43.4	17.0
December	11	18.5	8.0	12.7	26.3	11.4
Year	279	1538.3	34.5	269.7	1340 3	30.0

SUMMARY OF SUNSHINE

(Continued).

EXTREMES FOR THE LAST 19 YEARS.

MONTH		mber o which S was re	Sunsb	ine	A		or Total per of urs.	1		f		
	GRE	ATEST	LE	AST	GREA	TEST	LEA	ST	GREA	TEST	LEAST	
	Days	Year	Days	Year	Hours	Year	Hours	Year	0/0	Year	0/0	Year
Jan	21	1881	8	1898	64.2	1881	14.9	1885	30.0	1881	6.0	1885
Feb.	24	1895	11	1882	89.3	1887	29.6	1882	32.8	1887	10.9	1882
Mar	28	1894	19	1881 1882	162 1	1893	67.0	1895	44.2	1893	18.3	1895
Apr.	28	$ \begin{bmatrix} 1884 \\ 1887 \\ 1892 \\ 1893 \\ 1896 \end{bmatrix} $	23	$\begin{cases} 1883 \\ 1885 \\ 1888 \\ 1887 \end{cases}$	223.7	1893	95.7	1889	53.4	1 893	22.8	1889
May	30	${1881 \atop 1884 \atop 1888}$	22	1886	266.6	1 881	127.0	1886	54.1	1881	25.8	1886
June	30	1896	24	1888 1897	272.5	1887	115 0	1890	53.6	1887	22.6	1890
July	31	1882	8	1888	247.2	1887	98.0	1888	48.6	1887	19.3	1888
Aug	31	{1886 {1893	23	1894	235.2	1899	88.4	1891	51.5	1899	19.3	1891
Sept	29	(1895 (1899	21	1897	170.0	1895	62.9	1 896	44.9	1895	16.6	1896
Oct.	28	1891	17	1889	134.9	1899	50.0	1889	41.4	1899	15.3	1889
Nov	23	1883	9	1897	60.5	1884	18.5	1 891	23.6	1884	7.2	1 891
Dec.	18	1886	6	1882	60.1	1888	14 5	1882	26.0	1886	6.3	1882
Year	290	1887	252	1885	1613·7	1887	1132.1	1888	36.1	1887	25.3	1888

OBSERVATIONS OF UPPER CLOUDS (CIRRUS).

Date.	G. M. T.	Cloud.		Wind		Direction
1899.	G. M. T.	Direction	V'locity	Direction.	Force (0-12.)	of Lower Clouds.
January 5 ,, 12 ,, 16 ,, 17 ,, 19 ,, 23 ,, 28	12-30pm 10-0am 9-0am 8-0am 2-0am 9-15am 7-40am	SW b W W N SW N b W E	2 3 2 3 3 3 3	W b S SW b W SW WNW W b S NW b N	3 5 2 3 4 2	W SW b S SW NW W
February I ,, 4 ,, 8 ,, 11 ,, 15 ,, 16 ,, 17 ,, 23 ,, 24 ,, 28	8-oam 10-oam 9-oam 7-30am 9-oam 8-30am 3-opm 10-oam 8-oam 10-oam 3-30am	NW NW SW b W NE W W b S SW b S SE b E NW W b S WNW	2 3 3 2 2 2 2 2 2 2 2 2	NW b W N b W S S S SW b S SW b S ENE E b S NNE NNE NNE W b S	0 0 2 5 4 1 2 0 3 1 1	NW b W SW SW SW SW SW SW SW SW SW SW SW SW
March I ,, 12 ,, 29	noon 11-30am 1-40pm	SbW S WbN	2 2 3	WSW W WSW	4 1 8	W W W
April 4 ,, 17 ,, 19 ,, 27	4-opm 4-opm 9-oam 8-oam	NW W b S W	3 2 2 2	WSW W b S SW b W E b S	5 3 3 0	SW W WSW
May 8	2-opm 3 opm 9-oam	NNE W S	2 2 2	NE b E W S b W	2 2 I	Trible.
June 2 ,, 4 ,, 8 ,, 9 ,, 13 ,, 14 ,, 19 ,, 24	9-oam 10-oam 9-oam 9-oam 9-oam 5-20pm 4-opm Noon	SW S NE NE NW N NW S	2 2 2 2 3 2 2 2	W b S SW ENE ENE ENE ENE W b W	3 1 1 2 1 1	W NE W W
July 4	10-0am	NW	2	WbN	I	W

OBSERVATIONS OF UPPER CLOUDS (Continued).

Date		C. M. M.	Cloud	1.	Wind		Direction
1899.		G. M. T.	Direction.	V'locity (0-6.)	Direction.	Force. (0—12.)	of Lower Clouds.
July	5 7 11 13 15	4-opm 2-opm 6-2opm 4-opm 11-oam	SW W W b S S b W	2 2 2 3 2	WNW SW b W W b S WSW WSW	I I 2 2 2	W SW S SW WSW
),),),),),	17 18 26 30 31	9-0am 9-0am 2-0pm 5-40pm 11-0am 4-0pm	W W SW W b S W b N	2 2 3 2 2	WSW W W b S WNW WSW W b S	I 0 2 2 2 2	SW SW SW NW
August	1 2 4 5 8 13 16	8-30pm 9-0am 9-0am 9-0am 9-10am 9-0am 11-0am	SW S W b S SSE S W b S	2 2 2 2 2 2 3	SW b W N b E NE NE E b N NE b N W b S	1 1 2 2 2 0 2	NE NE NE
;; September ;; ;; ;; ;;	26 er 1 2 5 8 9 14 18 27	8-oam 9-oam 10-oam 10-45am Noon 7-30am 7-30am 2-15pm 9-oam	SW NW NW S W NNW SW W b S SW	3 2 2 2 2 3 3 3 3 3 3	E b N W b S WSW WSW W b S WNW NW b W W b S SSW	1 2 2 2 2 1 6	W SW SW W NW b N
October	4 6 14 16 18 20 21	7-30am 4-opm Noon 4-opm 2-opm 9-oam	SW b'S W NW NE SW ENE ENE	3 2 2 2 2 2 2 2 2	W b S SW b S NE E S NNE NNE	1 1 1 2 1 1 1	W W NE
Novembe	13 21	9-oam 9-oam 11-oam 3-opm	W S N b E NNW	2 2 3 2	SSW SSW SW b W W b S	I I 2 2	S SWbS W
December	8 9 10	9-oam 9-3oam 8-3oam 11-3oam	NW N b F N b W	3 3 2 2	SW ESE NE b N SE	0 4 1	E
,,	11	2-opm 10-oam	NE NW	2 2	NE b N SE	0	NE SE

OBSERVATIONS OF EARTH-MAGNETISM.

Absolute measures of Horizontal Magnetic Force have been made once each month, by the method of Vibration and Deflection.

In these observations the same Magnet has been employed from the beginning of the series in March. 1863. The weight of the Magnet with its stirrup is 825 grains, and its length 3.94 inches nearly. Its moment of inertia, measured by the method of vibrations, with and without a known increase of the moment, is 5.27303 to the English foot—second—grain units, at the temperature 35° Fahr., and its rate of increase is 0.00073 for increase of 10° .

The temperature corrections have been obtained from the formula $q(t^\circ-32^\circ)+q'(t^\circ-32^\circ)^2$ where t° is the observed temperature and 32° Fahr, the adopted standard temperature. The values of the co-efficient q and q' are respectively 0.0001128 and 0.000000436.

The induction co-efficient μ is 0.000244.

The correction for error of graduation of the Deflection bar at 1.0 foot is + 0.00004ft. at 1.3 + 0.000064 ft.

The observed times of vibration are entered in the Table without corrections.

The time of one vibration has been obtained each month from the mean of twelve determinations of the time of 100 vibrations,

The angles of deflection are each the mean of two sets or readings.

In deducing from these observations the ratio and product of the magnetic moment m of the magnet, and the earth's horizontal magnetic intensity X, the induction and temperature corrections have always been applied, and the observed time of vibration has been corrected for the effect of torsion of the suspending thread; but no correction has been required for the rate of the chronometer, or for the arc of vibration, the former having been always under 1.5° and the latter never over 50'.

The average deflection of the magnet caused by a twist of the torsion circle through 90° has been about $9' \cdot 9$ of arc.

In the calculations of the ratio—, the third and subsequent X

terms of the series 1 $+\frac{P}{r^2}+\frac{Q}{r^4}+$ &c., have always been omitted.

The value of the constant P was found to be -0.00271.

The Vertical and Total Forces are deduced from the measures of the Horizontal Force, and the Angle of Inclination or Dip.

All the computations are in English foot—second—grain units; and in the final table the results are given also in C. G. S. units, in parallel columns.

The Dip, or angle between the direction of total force, and that of its horizontal component, has been measured with Barrow's Circle, once each month by two needles, always when possible on the days of vibration and deflection observations.

The Declination has been observed at the beginning of each week, usually on Mondays at 4 p.m. and is quoted as the angle between the horizontal direction of force and the Astronomical Meridian, measured from the North Point.

The Differential Instruments, or Photo-Magnetographs, are of the same pattern as those at the Kew Observatory, except that the radial distances between the centres of the magnets and the surfaces of the respective cylinders are shorter, and the clock is not provided with an automatic light-cut-off, for the time scale. The "cut-offs" are made by hand at the hours 0, 2, 20, and 22 of the astronomical day, to furnish two time marks at each end of the day's curves, the changes being made between 10-30 and 11 a.m., civil time.

The scale value of the Bifilar horizontal force torsion balance, has remained very constant at 0.00051 C. G. S. for one centimetre, during the last seven years

The scale value of the Unifilar Declination Magnet is $11^{\prime \cdot}28$ arc per centimetre.

The corrections for diurnal range, employed in the tables, are taken from the Kew Reports 1891-98.

OBSERVATIONS OF DECLINATION AND DIP.

1899	G.M.T.	WEST D	ECLINATION	Magnetic Dip.			
MONTH	CIVIL DAY	Observa- tions.	Monthly Mean.	6 DIP.	A.T.		
	D. H. M. 2 16 0 10 16 0	o. / 18 18 9 18 19 7	0 ,	° ′ D. H	. M.		
Jan.	16 15 45 23 16 5 30 16 0	18 19·0 18 20·6 18 18·2	18 19.3		1 20		
	6 15 55	18 21·2 18 16·2		1 68 49.3 15 1	5 48		
Feb.	20 16 0 27 15 50	18 19 0 18 16 2	18 18 2	3 68 56.9 ,, 1	6 25		
March	6 16 5 13 16 0 20 16 5 27 16 15	18 23 9 18 20.1 18 17.5 18 17.2	18 19.7		1 57 2 28		
April	3 16 0 10 16 10 17 16 5 24 16 30	18 17.6 18 20.7 18 19.3 18 21.5	18 19.8	1 68 45·8 15 1 3 69 0·1 ,, 1	6 0 6 38		
May	1 16 0 8 16 0 15 16 5 22 16 5 29 16 5	18 21·7 18 17·1 18 21·5 18 20 2 18 17 8	18 19.7	1 68 48·3 20 1 3 68 58·6 ,, 1	6 0 6 35		
June	12 16 5 19 16 0 26 16 5	18 19·2 18 19·7 18 19 0	18 19 3	1 68 46·4 15 1 3 69 60 ,, 1	3 5		
July	3 16 0 10 16 0 17 16 0 24 16 0	18 16·9 18 20·1 18 18·2 18 18·2	18 18 4		1 51 2 29		

OBSERVATIONS OF DECLINATION AND DIP.

(Continued.)

1899	G.M.T.	WEST DECLINATION	MAGNETIC DIP.					
Монтн	CIVIL DAY	Observa- tions. Monthly Mean.	DIP. G.M.T. CIVIL DAY					
	D. H. M.	0 1 0 1	0 , D. H. M.					
Aug.	14 16 0 21 16 15 28 16 5	18 16·2 18 12·4 18 14·7	1 68 53·1 14 11 1 3 68 59 0 , 11 41					
Sept.	11 16 10 18 16 0 25 16 0	$ \begin{vmatrix} 18 & 15 \cdot 1 \\ 18 & 17 \cdot 1 \\ 18 & 17 \cdot 1 \end{vmatrix} $ $ \begin{vmatrix} 18 & 16 \cdot 5 \end{vmatrix} $	1 68 45·3 15 11 58 3 68 58·5 ,, 12 37					
Oct.	2 16 0 10 16 0 16 16 0 23 16 0 31 16 5	18 16·7 18 18·5 18 14·4 18 18·6 18 16·9	1 68 46·4 16·11·48 3 68 47·4 ., 12·23					
Nov.	6 16 0 13 16 0 20 16 0 27 16 0	18 17·7 18 15·8 18 12·2 18 13·2	1 68 42·4 15 11 48 3 68 58·8 , 12 26					
Dec.	4 16 10 11 16 5 18 16 5 26 16 0	18 15·0 18 15·1 18 15·0 18 14·9	1 68 45·5 15 9 38 68 53·5 ,, 10 20					
Yearly Mean		18 17.7	68 51.8					

OBSERVATIONS OF VIBRATIONS AND DEFLECTIONS FOR ABSOLUTE MEASURE OF MAGNETIC FORCE.

1899. Month.	G. M. T. (Civil Day)	Temp.	Time of one vibration	G. M. T.	Temp.	Observed Deflection at 1.0 ft. at 1.3 ft.	Value of m.
	D. H. M.	0	S.	D. H. M.	0	0 1	
∫an.	16 10 38	50.0	5.9964	$16 \left\{ \begin{matrix} 11 & 53 \\ 11 & 56 \end{matrix} \right.$	53·5 54·0	11 49·3 5 21·0	0.38582
Feb.	15 10 39	51.1	6.0028	$15 \begin{cases} 11 & 49 \\ 11 & 49 \end{cases}$	51·3 51·7	11 50·9 5 21·8	0.38568
Mar.	16 9 55	44.1	5.9957	$16 \begin{cases} 10 42 \\ 10 42 \end{cases}$	48.9	11 48·6 5 21·4	0.38523
Apr.	15 9 4	46.0	5 9918	$15 \begin{cases} 10 44 \\ 10 42 \end{cases}$	46·1 46·5	11 50·3 5 21·5	0.38593
May	20 10 15	56.5	5.9986	$20 \begin{cases} 11 & 43 \\ 11 & 45 \end{cases}$	58·5 58·4	11 48·8 5 21·2	0.38577
June	15 10 3	61.8	5 9970	$15 \begin{cases} 11 & 25 \\ 11 & 25 \end{cases}$	64·9 64·8	11 47·2 5 20·2	0 38582
July	14 10 9	65.5	6.0036	$14 \begin{cases} 10 & 59 \\ 10 & 58 \end{cases}$	66·5 66·5	$\begin{bmatrix} 11 & 47 & 0 \\ 5 & 20 \cdot 2 \end{bmatrix}$	0.38552
Aug.	14 9 (61.0	6.0003	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	63·3 63·1	11 47·4 5 20·0	0.38554
Sept.	15 10 14	56.5	6.0466	$15 \begin{cases} 11 & 24 \\ 11 & 23 \end{cases}$	58·0 58·3	11 36·9 5 16·1	0.37953
Od.	16 9 58	53.0	6.0371	$\begin{array}{ c c c c c } \hline 16 & \begin{cases} 10 & 51 \\ 10 & 54 \end{cases} \end{array}$	56·0 56·0	11 38·4 5 16·7	0 38027
Nov.	15 9 5	49.6	6.0435	$\begin{array}{ c c c c c c }\hline 15 & \begin{cases} 10 & 43 \\ 11 & 8 \end{cases} \end{array}$	52·0 52·0	11 37·8 5 17·4	0.37952
Dec.	14 11	26.8	6.0238	$\begin{array}{ c c c c c } \hline 14 & \begin{cases} 11 & 54 \\ 11 & 55 \end{cases} \\ \hline \end{array}$	33·5 33·5	11 39·3 5 17·8	0.38040

MAGNETIC INTENSITY.

В	RITISH	UNIT	C. (C. G. S. UNITS.				
1899	Horizon- tal Force.	Vertical Force.	Total Force.	Horizontal Force.	Vertical Force.	Total. Force		
Jan	3.7466	9.6929	10.3918	0.17275	0.44691	0.47914		
Feb	3.7380	9.6802	10:3770	0.17235	0.44633	0.47846		
Mar	3.7451	9.6679	10.3680	0 17268	0.44576	0.47804		
April	3.7467	9.7014	10.3997	0.17275	0.44731	0.47951		
Мау	3 7445	9 6998	10 3973	0.17265	0.44723	0.47939		
June	3.7501	9.7116	10.4105	0.17291	0.44778	0.48000		
July	3.7471	9.6942	10.3933	0.17277	0.44697	0.47921		
Aug	3.7485	9.7312	10.4283	0.17284	0.44869	0.48082		
Sept	3.7456	9.6900	10.3887	0.17270	0.44678	0.47900		
Oct	3.7465	9.6497	10.3515	0.17275	0.44492	0.47728		
Nov	3.7418	9.6681	10.3670	0.17253	0 44577	0.47800		
Dec	3.7534	9.6893	10 3909	0.17306	0 44675	0.47910		
Means	3.7462	9.6897	10:3887	0.17273	0.44677	0.47900		

HORIZONTAL MAGNETIC DIRECTION.

Horizontal Magnetic Direction, west of north, (from daily measures of the continuous curves.)

Α											_					
Monthly range.		99.0	52.3	9.28	9.63	45.5	0.29	23.5	25.0	25.5	46.0	0.98	24.3	36.2		
Lowest reading of the month.	17°+	- 0	43.3	50.3	587	2.42	207	61.5	61.7	2.09	38.1	2.89	27.1	520		
Highest reading cf the month.	18°+	6.06	35.6	27.9	28.3	40.5	27.7	24.4	26.7	26.2	24.7	24 7	22 0	28 2		
Difference of and b, or or Mean daily range.		- H	13.7	15.1	14.0	15.8	15.2	12.2	13.9	13.2	119	93	9.4	12.9		
Differences d-c.		- 0	0 61	1.5	œ		iċ	ż	00.1	6.—	ıċ	2.	1.1	, i.e.		
Means of daily readings at 4a.m & 4p.m.		10.01	180	17.7	16.6	17.0	15.3	15.5	14.1	14.2	13.5	13.2	13.1	9.01	-0.3	18° 15′ ·3
Means of a and b.	18°+	- 1	16.9	16.5	15.8	16.9	148	150	14.9	15.1	130	125	126	15.1		. 1.4
Mean of the lowest daily readings	18°	- 0	10.0	6.8	8.8	0.6	7.2	6.8	8.5	80.51	0.2	2.8	6.2	9.8	iurnal range	ar
Mean of the highest daily readings.		- 00	23.7	240	22.8	24.8	22'4	21.1	21.5	21.7	18.9	17.1	17.3	21.5	Correction for diurnal range	Mean for the year
1899			February	March	April	May	Inne	July	August	September	October	November	December	Means	Corr	Mean

	us curves.)	
	continuous	S.
H	he	9
2	Ŧ.,	C
5	Si C	10
I	easure	unit
2	Ĕ	the
T	aily	to
MAGNETIC FORCE.	(from d	entered
MA	units	are
HORIZONTAL	C. G. S.	The figures in the columns are entered to the unit 10 C. G. S.
Z	in	he
20	ce	in
112	For	es
101	etic	figur
正	Magn	The
	Horizontal Magnetic Force in C. G. S. units (from daily measures of the continuou	

1899.		Mean of the Mean of the highest daily lowest daily lowest daily readings.	Mean of th lowest daily readings.	Means of and b.	Means of daily readings 4a m. & 4p.m.	Differ- ences	Differences of a and b or Mean daily Range.	Highest reading of the Month.	Lowest reading of the Month.	Monthly Range.
		(a)	(9)	(0)	(d)	d-c				
			. 17000	+ 0			+0	170	17000+	+0
		2001	100	000	3: G	۲	9	000	i i	1
January -	4	20.6	204	250	290	<u></u>	43	558	173	165
February		306	255	281	184	ന	210	343	183	160
March -		303	253	281	286	20	56	373	193	180
April .	1	314	249	282	287	ro	65	341	193	148
May -		933	262	301	310	6	22	388	201	187
Inne -	1	9286	263	300	308	œ	73	453	193	260
July .		321	258	290	293	೦೦	63	393	223	170
August -		819	251	285	290	20	89	373	211	162
September		313	248	280	288	00	64	345	213	132
October -		311	026	291	295	4	41	.348	253	95
November		30.8	276	202	294	67	32	343	238	105
December		291	255	273	273	0	36	328	221	107
Means -		314	259	287	291	4	55	963	208	155
	Corre	Correction for diurnal range	ırnal range		00000				_	
	Mean	Mean Horizontal Force for the year	Force for	1	0.17288 C.G S. units.	S. units.				

DATES OF MAGNETIC DISTURBANCES, 1899.

The disturbances are divided generally into three classes, <code>small</code>, <code>moderate</code>, and <code>greater</code>; these are indicated by the initial letters of the classes. and the letter c denotes <code>calm</code>. Very great disturbances are marked vg. The days are reckoned astronomically from noon to noon.

Month.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Day 1	С	S	S	С	m	S	S	С	m	С	С	S
2	m	S	S	S	S	S	m	S	m	С	С	S
3	m	S	S	S	g	S	m	m	m	С	S	S
4	S	S	S	m	m	S	m	m	S	S	S	С
5	S	S	С	m	S	S	S	S	S	S	S	С
6	S	S	m	S	S	С	m	S	S	S	S	С
7	С	С	m	m	S	С	m	S	С	S	С	S
8	S	S	S	m	S	С	m	S	S	С	С	S
9	S	С	m	m	S	С	m	S	S	С	С	S
10	С	С	m	m	S	S	m	S	S	С	С	C
11	S	m	m	m	m	S	m	С	С	С	S	С
12 13	S	g	m	s	С	S	S	S	S	S	S	C
14	C	S	m	S	S	S	S	S	S	С	S	С
15	s m	m	m	S	S	S	S	S	S	S	C	С
16	m	m s	m s	S	m	S	S	С	S	m	C	C
17	m	S	S	m	S	S	S	S	С	S	C	S
18	m	S	S	m	S	S	S	S	S	S	S	m
19	S	S	C	m	S	S	C	S	S	C	S	m
20	S	m	s	S	S	S	s	m	C	C	c	S
21	S	S	g	S	s	S	C	m	S	C	C	S
22	S	m	m	S	s	S	c	S	C	s	m	S
23	m	m	g	S	S	S	c	s	S	m	m	C
24	s	m	S	m	С	С	S	S	c	m	S	C
25	S	m	S	S	S	С	S	S	m	S	S	S
26	S	S	S	S	m	m	s	С	m	s	· C	m
27	S	m	S	S	S	m	S	S	m	S	С	S
28	g	S	S	S	С	g	С	S	m	С	С	m
29	m		S	S	С	g	С	m	m	С	С	S
30	S		S	S	S	S	С	m	S	С	S	S
31	S		S		m		С	m		С		S
) c	4	3	2	1	4	6	9	4	6	15	16	12
s s	18	15	17	18	20	20	13	20	16	13	12	15
Totals m s	8	9	10	11	6	2	9	7	8	3	2	4
F g	1	1	2	0	1	2	0	0	0	0	0	0
H) g	0	0	0	0	0	0	0	0	0	0	0	0

DATES OF SOLAR DRAWINGS.

The figures express, in decimals of a day, the Greenwich Civil time at which the drawing was made.

November December	-44		.43 .52 .41	.53 44. 14.	.50	ēţ.
November	.43	64.	.45	.42	4 4 4 4	.52
October	.40	. 54 . 45 . 39 . 39	.41	4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	.40
eptember	66.	68 68 68 68		.36 .35 .35	·39 ·43 ·43	
August	.43	.36 .42 .54	.38	· 37	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
July	.65	.33 .34 .67		+ ÷ ÷ ÷ ÷ ÷ ÷ ÷ ÷ ÷ ÷ ÷ ÷ ÷ ÷ ÷ ÷ ÷ ÷ ÷	.38 .67 .41	.49
June	.51 .46 .39		0 4 4 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6	**************************************	· 41 · 41	18.
May		. 38 . 34 . 42	.51	.73 .63 .83	66. 14. 76.	08.0 08.0 08.0
April		.44 .46	.36 .41	86 44 86 84 84 84	€ € 4.69 7.08 8.89 8.80	.93
March	.51	42	.40	94. 95. 15. 14. 75.	.39 .39 .41 .65	.61
February	.41 .47	·41	.65 .39 .42	4 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	4 4 6 4 4 4 6 6 8 8 8 8 8 8 8 8 8 8 8 8	
January	.47	.43	.44	·41 ·41	यं यं यं यं यं यं ए ए ० ६० ६१ ६७	
1899.	H 67 66 ·	45378	9 10 11 12	11 12 13 14 13 13 13 13 14 13 14 13 14 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	%1 %1

PRESENTS RECEIVED.

Greenwich Observations 1896 Mean Areas and Heliographic Latitudes of Sun Spots in the year 1897, deduced from photographs taken at the Royal Observatory, Greenwich; at Dehra Dûn (In-	Royal Observatory.
dia); and in Mauritus	59
manac for 1900-1Greenwich Spectroscopic and Photo-	,,
graphic Results 1896-97 Quarterly Return of the Registrar	,,
General 1899	Registrar General.
Report of the Meteorological Council for the year ending 31st of Mar., 1898, to the President and Council of the Royal Society Hourly Means of the Readings obtained from the self-recording Instruments at the Five Observatories under the Meteorological	Meteorological Office,
Council 1895	3.2
Meteorological Observations at Stations of the Second Order 1895	,,
Daily, Weekly, Monthly, and Quarter- ly Weather Reports	
Catalogue of the Crawford Library of	,,
the Royal Observatory	Royal Obs., Edinburgh.
searches made at Dunsink, Dublin. Part VIII	Trinity College Obs.
the British Association for the Advancement of Science, held at Bristol 1898	British Association.
ing and Reducing Magnetic Ob- servations. Bristol Meeting	Committee.
The Meteorological Record 1898-1899 by William Marriott	Royal Met. Society.
Proceedings of the Royal Society 1899 Report of the Kew Observatory Committee of the Royal Society for	Royal Society.
the year ending December 31,	Kew Observavtory.

Monthly Meteorological Observations taken at Ben Nevis Observatory, 1898-99	Ben Nevis Observatory.
Twenty-fourth Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory, for 1898-1899. Adopted as the Report of the	Oxford Observatory.
Visitors to the University Records of Meteor Observations taken at the Observatory Edgbaston,	Oxford University.
1898. By Mr. Alfred Cresswell. Report and Results of Observations for the year 1898. By Joseph Bax-	Birmingham Obs.
endell, F.R.Met.S	Fernley Observatory.
beck, F.R.A.S. Meteorological Observations for the year 1898, made under the superintendence of Sir Cuthbert E.	Scarborough Obs.
Peek, Bart., M.A., F.R.Met.Soc. Variable Star Notes. Nos. 4 and 5.	Rousdon Observatory.
Report of the Director of the Observa- tory to the Marine Committee,	,,
1898	Liverpool Observatory.
burn Free Library, 1898-99 Preliminary Note on the Spectrum of	Committee.
the Corona. By Sir Norman Lockyer, K.C.B., F.R.S Note on the Enhanced Lines in the Spectrum of a Cygni. By the	Author.
On the Chemical Classification of the	19
Stars. By the same	,,
F.R.S.E., etc. On some Photographs of the Great Nebula in Orion, taken by means of the Less Refrangible Rays of its Spectrum. By Jas.	33
E. Keeler	59
same	***

The Annular Nebula H IV. 13 in Cygnus. By the same On the Spectra of Stars of Class III	Author.
b. By N. C. Dunér The Distribution of Stars in the Clus-	,,
ter Messier 13, in Hercules. By K. K. Palmer	55
The Prœsepe Group, By Frank Schlesinger The Rutherford Photographic Mea	,,
sures of Sixty-five Stars near 61 Cygni. By Herman S. Davis.	
Recent Meteoric Showers. By Fr. W. F. Rigge, S.J.	99
Investigations on Periodicity in the Weather. By H. Helm Clayton	
Precession Tables adapted to New- combe's Value of the Preces-	,,
sional Constant, and Reduced to the Epoch 1900-1. By A. M. W. Downing, M.A., D.Sc.,	
F.R.S	23
On the Wide Cosmical Dissemination of Vanadium. By B. Hasselberg	
Observations taken at Dumraon, Behar, India, during the Eclipse	,,
of the 22nd of January, 1898, by a party of Jesuit Fathers of	
the Western Bengal Mission. By Rev. V. de Campigneulles,	
S.J. The Variable Velocity of o Leonis in	3)
the Line of Sight—the Variable Velocity of χ Draconis in the	
Line of Sight—The Purkinje Phenomenon and the Spectrum of the Orion Nebula—Notes on	
the Spectrum of o Ceti. By W. W. Campbell	
A Suggestion for the Explanation of the Stationary Radiant-points	,,
of Meteors. By H. H. Turner, M.A., F.R.S.—Remarks on the Paper by Prof. H. Turner; to-	
gether with Another Suggested Explanation of Stationary Radi-	
ant-Points of Meteors. By	
D.C.L., F.R.S	Authors.
S. Johnstone Stoney, M.A., D.Sc., F.R.S.; and A. M. W.	

Downing, M.A., D.Sc., F.R.S. Ephemerides of Two Situations in the	Authors.
Leonid Stream. By the same. Stellar Photographs	Dr. Max Wolf.
Health for the County Palatine of Lancaster, 1898	Edward Sergeant, M.D.
Report of the Medical Officer of Health for the Borough of Darwen The British Journal of Photography	F. G. Haworth, M.B. The Editor.
Indian Meteorological Memoirs, Vol. VI., Parts iv. and v.; Vol. X., Parts ii., iii., and iv.; Vol. XI., Part i. By John Eliot, M.A.,	
Report on the Administration of the	Met. Office, Calcutta.
Meteorological Department of the Government of India. By	33
the same	,,
Annual Summary, 1898. By the same.))))
Report on the Madras Observatory for	
1898-99 Report of the Government Astronomer	Madras Observatory.
for the Colony of Natal, 1898	
Report of the Condition and Progress	
of the G. V. Juggarow Observatory, 1897	Natal Observatory.
Notes on the Meteorology of Vizaga-	
patam. Parts I. and II. By	Vizagapatam Obs.
W. A. Bion Observations made at the Magnetical	vizagapatani Obs.
and Meteorological Observatory	
at Batavia. Vol. xx., 1897 Rainfall in the East Indian Archipel-	,,
ago, 1897	Batavia Observatory.
Brief Sketch of the Meteorology of the Bombay Presidency for 1898-99.	Bombay Observatory.
Magnetical and Meteorological Obser-	Dombay Observatory.
vations made at the Government	
Observatory, Bombay, 1897 Monthly and Annual Results of	,,
Meteorological Observations	
taken at St. Xavier's College	Collogo Observatores
Observatory, Calcutta Report of Her Majesty's Astronomer	College Observatory.
at the Cape of Good Hope,	P 1 01 C
Independent Day-Numbers for the	Royal Obs., Cape.
year 1901, as used at the Royal	
Observatory, Cape of Good	
Hope	,,

Mauritius Magnetical Reductions, from 1875 to 1890, under the Direction of C. Meldrum, M.A., etc.; and from 1875-1897, by T. F. Claxton, F.R.A.S. Royal Obs., Cape. Observations and Researches made at the Hong Kong Observatory in 1898. By W. Doberck Hong Kong Obs. Record of Results of Observations in Meteorology and Terrestrial Magnetism, made at the Melbourne Observatory and other Localities in the Colony of Victoria, Australia. By Pietro Baracchi Melbourne Observatory. Cloud Observations in Victoria. By the same Thirty-third Report of the Board of Visitors to the Observatory, 1898-99 Meteorological Observations made at the Perth Observatory and other places in Western Australia in 1897-98. By W. Ernest Cooke, M.A. Perth Observatory. Meteorological Observations made at the Adelaide Observatory and other places in South Australia and the Northern Territory in 1896. By Sir Charles Todd ... Adelaide Observatory. Results of Rain, River, and Evaporation Observations made in New South Wales, '1896-97. Maps and Diagrams. By H. C. Russell, B.A., C.M.G., F.R.S., etc. Sydney Observatory. Report of Mr. Tebbutt's Observatory, The Peninsula, Windsor, New South Wales, 1898. By John Tebbutt Tebbutt's Observatory. The Department of Agriculture Monthly Weather Review, 1898-99 ... Weather Bureau, Washington. Pilot Charts of the North Atlantic Ocean, 1898-99 U. S. Hydrographic Office. Report of the Superintendent of the United States Naval Observatory for the Fiscal Year ending June 30th, 1898 U. S. Naval Obs. Memoirs of the National Academy of

Sciences, Washington. Vol.

U. S. National viii. Academy. Catalogue of 621 Stars. Prepared by Williams College. Prof. T. H. Safford Hourly Meteorological Readings at the New York Meteorological Ob-Central Park Obs. servatory, 1898-99 The Yerkes Observatory of the University of Chicago. Bulletins Nos. 7, 8, 9, 10 and 11 Yerkes Observatory. Report for the year 1898-99. Presented by the Board of Managers of the Observatory of Yale University to the President and Fellows Yale University. Publications of the Cincinnati Observatory, No. 14: Catalogue of 2030 Stars for the Epoch 1895. By Cincinnati University. Jermain G. Porter, A.M.Ph.D. Results of Observations with the Zenith Telescope of the Flower Astronomical Observatory. By Charles L. Doolittle Pennsylvinnia Uni. Peruvian Meteorology 1888—1890. Compiled by Solon I. Bailey, under the direction of Edward C. Pickering Harvard College Uni. Progress of Experiments with Kites during 1897-98 at Blue Hill Observatory. By S. P. Fergusson. Studies of Cyclonic and Anticyclonic Phenomena with Kites. By H. Helm Clayton ,, Sun-Spot Drawings made at the Georgetown College Observa-tory in 1850. By Father Bene-Georgetown College dict Sestini, S.J. Observatory. Toronto General Meteorological Regis-Toronto Observatory. ter for the year 1898 Monthly Weather Review 1898-99 Marine and Fisheries Report of the Meteorological Service Dept. of Canada, 1896. Vols. i., ii. ... Annales de l'observatoire de Nice Tome I. Atlas. Par M. Perro-L'Observatoire. Bulletin Mensuel du Bureau Central Météorologique de France 1898-99. Par E. Mascart Rapport Annuel sur l'état de l'observatoire de Paris pour l'année 1898. Par MM. Loewy 99 Annuaire de l'observatoire Municipal

de Paris, dit observatoire de Montsouris, pour l'année 1899 Annales de l'observatoire Météorolo- gique, Physique et Glaciaire du Mont Blanc. Par J. Vallot.	L'Observatoire.
Tome III Bulletin Mensuel du Magnétisme Terrestre de l'observatoire Royal	"
de Belgique. Par L. Niesten Bulletin des Observations Météorolo- giques V ^o Année 1898, l'obser-	,,
vaioire St. Louis, Jersey Bulletin Mensuel de l'observatoire Météorologique de l'université d'Upsal. Vol. xxx., 1898. Par D. H. Hildebrand Hildebrands	,,
Observations et Mesures de La Suède iii. Observations Directes des	39
Nuages. Par le même Annales de l'observatoire National d' Athènes. Tome i. Par Démé-	,,
trius Eginitis	,,
Rykatchew Bulletin Mensuel de l'observatoire de	***
Zi-Ka-Wei. Tome xxii. 1896. Observations faites à l'observatoire mé téorologique de l'université Im-	>>
périale de Moscow, 1896 Bulletin de l'observatoire météorolo-	L'Universite.
gique de l'Université de Kazan. Exploration Internationale des Régions Polaires 1882-83 et 1883-84. Observations faites aux Stations de Sodankylä et de Kultala. Par Selim Lemström et Ernest Biese. Société des Sciences de	***
Finlande	Société de Sciences.
des Sciences de Suède	L'Academie Royale.
Sixième, 1898	La Société.
Fixes. Par Osten Bergstrand Région b-f. du Spectre Solaire, des- sinée par le Chanoine Eugéne	L'Auteur.

Sprée	L'Auteur.
Les Variations de la Température de L'Air dans les Tourbillons At- mosphériques et leur Véritable cause. Par R. R. Marc Dechev-	33
rens, S.J. La Navigation à Vapeur sur le haut	"
Yang-tsé. Par le même L'Interrupteur. Par R. P. J. D.	,,
Lucas, S.J. Note sur la Diffusion Cosmique de Vanadium. Par M. B. Has-	"
selberg	"
Insbruck im Jahre 1898 Ergebnisse der Meteorologischen Beobachtungen im Reichsland Elsass-Lothringen im Jahre 1896	Observatorium.
Von Dr. Hugo Hergesell Publication des Astrophysikalischen Observatoriums zu Potsdam, Dreizehnter Band-Photograph- ische Himmelskarte. Band I. Herausgegeben Vom Director	"
H. C. Vogel	Sternwarte.
V. Band Annalen der Sternwarte in Leiden Herausgegeben Von Dr. H. G. Van de Sande Bakhuyzen	»
Siebenter Band	,,
IV. II. Heft Meteorologische Termin-Beobachtungen in Pola, Sebenico und Teo-	,,
do 1898-99 Jahrbuch des Norwegischen Meteoro- logischen Instituts für 1898.	,,
Von Dr. H. Mohn	Institut.

für Meteorologie und Erdmag- netismus. Jahrgang 1895, 96, und 98 Bericht über die Thätigkeit im Königl- Sächsischen Meteorologischen	Institut.
Institut für das Jahr 1896. Von Prof. Dr. Paul Schreiber Ergebnisse der Meteorologischen Beo- bachtungen an der Station I. Ordnung Chemnitz im Jahre	**
1897. Von Demselben Ergebnisse der Meteorologischen Beo- bachtungen an 11 Stationem II. Ordnung im Jahre 1897.	,,
Von Demselben Veröffentlichungen Instituts. Ergeb- nisse der Beobachtungen an den Stationem II. und III. Ordnung im Jahre 1804. Heft III. Von	99
Wilhelm von Bezold Ergebnisse der Meteorologischen Beo- bachtungen in Potsdam im Jahre	31
1897. Von Demselben Ergebnisse der Magnetischen Beo- bachtungen in Potsdam im Jahre 1897 und 1898. Von Demsel-	55
Ergebnisse der Beobachtungen an den Stationen II. und III. Ordnung im Jahre 1898 Heft III. Von	,,
Demselben Bericht über die Thätigkeit des Koniglich Preussischen Meteorologischen Instituts im Jahre 1898.	,,
Von Demselben	,,
Commission für die Beobach- tungen des Venus-Durchgangs, Erster Band Herausgegeben Von A. Auwers Feier zur Einweihung des newen Kup-	Die Commission.
pelbaus und des Grossen Re- fractors des Königlichen Astro- phsyikalischen Observatoriums auf dem Telegraphenberge bei	
Potsdam a.m. 26 August 1899. Von Prof. Dr. H. C. Vogel Astrophysikalisches Observatorium	Verfasser.
Potsdam, Von Demselben Meteoren den 25 November 1897. Von Tryggve Rubin	5) 59

Regenkarte der Provinz Schlesien. Von Prof. Dr. G. Hellmann	** C	*
Astronomische Mitteilungen. Von A.	Verfasser.	
Wolfer. 1898-99 Ergänzungen zu meinem magnetischen	,,	
Reisetheodolith behufs unab-		
hängiger absoluter Messungen		
der Horizontalintensität. Von H. Wild	,,	
Uber die Möglichkeit, Vollständige	,,	
Magnetische Observatorien ganz oberirdisch und in einem Ge-		
bäude cinzurichten. Completes		
stoffs. Von Demselben	"	
Untersuchungen über die Spectra der Metalle im Electrischen Flam-		
menbogen. I. Spectrum des Chroms. V. Spectrum des		
Vanads. Von B. Hasselberg	,,	
Ueber das Linienspectrum des Sauers-	,,	
toffs. Von Demselben Zur Spectroskopie des Wasserstoffs Von	33	
Demselben	,,	
Zur Spectroskopie der Verbindungen.		
Spectrum der Thonerde. Von Demselben	,,	
Ueber das durch Electrische Erregung		
erzeugte Leuchten der Gase bei niedriger Temperatur. Von		
Demselben	,,	
Ueber die Spectra der Cometen. Von Demselben.	,,	
Untersuchungen über das zweite Spec-	,,	
trum des Wasserstoffs. Von		
Demselben	,,	
Wetter im Jahre 1889 zugleich		
Wetterprognose für das Jahre 1899. Von Prof. K. W. Zenger.	,,	
Die Elemente des Erdmagnetismus für		
die Epochen 1600, 1650, 1700, 1780, 1842, and 1885, and ihre		
Saecularen Aenderungen. "All-		
gemeine Theorie des Erdmag- magnetismus." Von Dr. H.		
Fritsche.	,,	
Sonnenschein und Bewölkung In Kal-		
ocsa. Von F. J. Fényi, S.J Ueber directe Photographirung der	"	
Sonnen-Protuberanzen. Von Fr.		
C. Braun, S.J	"	
Deutschen Ostseeküste; west-		

licher Teil; Schleswig-Holstein, Mecklenburg und Darsser-Ort, angestellt i.d. Jn. 1897 und 1898	Verfasser.
Von A. Schück Die Vorläufer des Copernicanischen Weltsystems. Von P. Adolf	
Müller, S.J. Die Erscheinungen von Ebbe und Fluth im Zusammenhang mit dem Copernicanischen Weltsystem. Von Demselben	,,
Von Demselben	99
Algué, S.J	Observatorio.
Por el mismo. Anales del Instituto y Observatorio de Marina de San Fernando. Sec-	>>
cion 1a. 1893. Seccion 2a 1897- 1898	53
Por el mismo	33
teorologico de Leon 1898-99 Boletín Mensual del Observatorio Me-	,,
teorológico de México 1898-99 Observaciones Magnéticas y Meteoro- lógicas del Observatorio del Colegio de Belen de la Com- pañia de Jesus en la Habana	"
Roletin Mensual del Observatorio-Meeorológico del Seminario Con-	"
ciliar de Durango, México 1899. Boletín Mensual Meteorológico del Colegio de San Juan Nepomu-	"
ceno. Saltillo. México, 1898-99 Observaciones Meteorológicas del Colegio Católico del Sagrado Cora-	"
zón de Jesus. Puebla 1898 Boletín Mensual Meteorológico y Agrí- cola del Observatorio Central del Estado de Veracruz. Llave.	,,
Observaciones Meteorológicas hechas en el Colegio Máximo de la Compañia de Jesus en Oña	,,
Compañia de Jesus en Oña Provincia de Burgos 1897-1898 Boletin del Observatorio Astronómico Nacional de Tacubaya. Tomo	33
II., Núm 5	,,

Observaciones Meteorológicas practi- cadas en el Observatorio Astro-	
nómico Nacional de Tacubaya	
El Catorce de Noviembre. Las	Observatorio.
lluvias de Leonidas y los	
Ciclos Astronómicos. Por Manuel M. Miranda y Marron.	
La Erupcion del Volcán Mayón en los	,,
dias 25 y 26 de Junio de 1897. Por José Coronas, S.J	3.3
Memórias Y Revista de la Sociedad	**
Científica "Antonio Alzate," 1898-99	La Sociedad.
Osservazioni Meteoriche fatte nel R.	and Doubleway
Osservatorio di Capodimonte	Osservatorio.
Riassunti Decadici e Mensili 1898, nel	
medesimo. Dal medesimo Variazioni della declinazione Magnetica	3 7
ca negli anni 1894-95-96-97. Nel	
medesimo. Dal medesimo Variazioni della declinazione Magnetica	,,
negli anni 1894-95-96-97. Nel	
medesimo	**
torio Astronomico-Meteorologico di Trieste. per l'anno 1896	,,
Bolletino Mensuale dell'Osservatorio	•
Centrale del Real Collegio Carlo Alberto in Moncalieri, 1898-99	,,
Per la Storia della Meteorologia in	
Italia Primi Appunti del P. Giuseppe Boffito, B.A	Il Autore.
Annuario Storico Meteorologico Italia- no. Vol. I1898. Dal medesi-	
mo	Autor.
Studi sul molo rotatorio del Pianeta Venere. Dal P. Adolfo Müller,	
S.JIl Principio del Nuovo Secolo. Dal	"
medesimo	,,
Sul diametro Solare. Memoria di A. D. Legge et A. Prosperi	Autori.
Buletinul Observatiunilor Meterorolo-	
gice din România. Anul VII.	Institutul Meteorologic.



APPENDIX

RESULTS

OF

METEOROLOGICAL OBSERVATIONS

TAKEN AT

ST. IGNATIUS' COLLEGE, MALTA

BY THE

REV. J. F. DOBSON, S.J.

1899.

Lat. 35° 55'N. Long. 14° 29'E. Barometer Readings reduced to 32° F. at sea level.

METEOROLOGICAL REPORT.

JANUARY, 1899.

Results of Observations taken during the Month.	Mean for the last 16years.
Mean Reading of the Barometerinches 30:143	30.051
Highest ,, on the 21st ,, 30.449	30.427
Lowest ,, on the 31st ,, 29.620	29.583
Range of Barometer Readings, 0.829	0.844
Highest Reading of a Max. Therm on the 29th 65.5	65.0
Lowest Reading of a Min. Therm. on the 7th &8th 43.2	41.3
Range of Thermometer Readings 22.3	23.7
Greatest Range in 24 hours on the 29th 19.8	18.3
Mean of all the Highest Readings 60.9	59.1
Mean of all the Lowest Readings 49.4	48.6
Mean Daily Range 11.5	10.5
Mean Temperature (deduced from Max.&Min) 54.4	53.2
Mean Temperature (deduced from Dry Bulb) 54.4	52.9
Adopted Mean Temperature 54.4	53.1
Mean Temperature of Evaporation 50·1	48.6
Mean Temperature of Dew Point 47.1	45.5
Mean lastic force of Vapour inches 0.324	0.305
Mean weight of Vapour in a cub.ft.of air grains 3.6	3.5
Mean additional weight required for saturation,, 0.9	0.9
Mean degree of Humidity 80	80
Mean weight of a cubic foot of air grains 542.2	542.3
Fall of Raininches 1.464	3 467
Number of days on which Rain fell 11	13
Mean amount of Cloud (an overcast sky=10) 4.3	5.4
Total number of miles of wind indicated 6929	8451
Mean Velocity of Wind per hourmiles 9.3	11.4

St. Ignatius' College, Malta. FEBRUARY, 1899.

Results of Observations taken during the Month	Mean for the last 16 years.
Mean Reading of the Barometer inches 30.086	30.038
Highest ,, on the 9th ,, 30.386	30.341
Lowest ,, on the 3rd ,, 29:581	29.625
Range of Barometer Readings ,, 0.805	0.716
Highest Reading of a Max. Therm. on the 1st 66.1	66.8
Lowest Reading of a Min. Therm. on the 6th 44.0	41.3
Range of Thermometer Readings 22.1	25.5
Greatest Range in 24 hours on the 6th 18.5	19.2
Mean of all the Highest Readings 61.5	60.2
Mean of all the Lowest Readings 50.6	49.3
Mean Daily Range 10 9	10.9
Mean Temperature (deduced from Max & Min) 55.1	53.7
Mean Temperature (deduced from Dry Bulb) 55.3	54.0
Adopted Mean Temperature 55.2	53.9
Mean Temperature of Evaporation 55.5	49.6
Mean Temperature of Dew Point 49.4	46 8
Mean elastic force of Vapourinches 0.353	0.320
Mean weight of Vapour in a cub. ft. of air grains 4.0	3.6
Mean additional weight required for saturation,, 0 6	0.8
Mean degree of Humidity	81
Mean weight of a cubic foot of airgrains 542 7	541.0
Fall of raininches 1.519	2.044
Number of Days on which rain fell 9	9
Mean amount of Cloud (an overcast sky=10) 3.3	5.1
Total number of miles of Wind indicated 7000	7992
Mean Velocity of Wind per hourmiles 10.3	11.9

St. Ignatius' College, Malta.
MARCH, 1899.

Results of Observations taken during the Month.	Mean for the last 16 years.
Mean Reading of the Barometerinches 30.023	29.991
Highest ,, on the 28th ,, 30·396	30.338
Lowest ,, on the 24th ,, 29.567	29.518
Range of Barometer Readings ,, 0.829	0.820
Highest Reading of Max. Therm. on the 23rd 76.9	74.1
Lowest Reading of a Min. Therm. on the 29th 44.9	43.3
Range of Thermometer Readings 32.0	30.8
Greatest Range in the 24 hours on the 29th 21.9	22.5
Mean of all the Highest Readings 63.8	63.3
Mean of all the Lowest Readings 51.9	51.0
Mean Daily Range	12.3
Mean Temperature (deduced from Max. & Min.) 57.2	56.3
Mean Temperature (deduced from Dry Bulb) 56.2	55.4
Adopted Mean Temperature 56.7	55.9
Mean Temperature of Evaporation 52.6	51.8
Mean Temperature of Dew Point 49.5	48.6
Mean elastic force of Vapourinches 0.355	0.343
Mean weight of Vapour in a cub. ft. of air grains 3.2	3.9
Mean additional weight required for saturation,, 1.0	1.1
Mean degree of Humidity	79
Mean weight of a cubic foot of air grains 536.9	537.2
Fall of raininches 0.839	1.040
Number of days on which rain fell 7	7
Mean amount of Cloud (an overcast sky=10) 2.8	4.6
Total number of miles of wind indicated 9120	8114
Mean Velocity of Wind per hourmiles 12·3	10.9

St. Ignatius' College, Malta.
APRIL, 1899.

Results of Observations taken during the Month.	Mean for the last 16 years
Mean Reading of the Barometerinches 30.017	29.951
Highest ,, on the 3rd ,, 30.263	30.262
Lowest ,, on the 13th ,, 29.655	29.546
Range of Barometer Readings ,, 0.608	0.716
Highest Reading of a Max. Therm. on the 16th 77.0	76.6
Lowest Reading of a Min. Therm. on the 3rd 48.4	47.8
Range of Thermometer Readings 28.6	28.8
Greatest Range in 24 hours on the 15th 22.7	21.5
Mean of all the Highest Readings 67.8	67.3
Mean of all the Lowest Readings 54.8	54.3
Mean Daily Range 13.0	13.0
Mean Temperature (deduced from Max. & Min.) 60.3	59.8
Mean Temperature (deduced from Dry Bulb) 59.6	59.3
Adopted Mean Temperature 60.0	59.6
Mean Temperature of Evaporation 55.7	55.5
Mean Temperature of Dew Point 52.2	52.2
Mean elastic force of Vapourinches 0:391	0.391
Mean weight of Vapour in a cub. ft. of air grains 3.9	4.4
Mean additional weight required for saturation,, 1.9	1.3
Mean degree of Humidity 77	78
Mean weight of a cubic foot of air grains 533·1	531.9
Fall of Raininches 0.110	1.044
Number of days on which rain fell 3	6
Mean amount of Cloud (an overcast sky=10) 2.3	4.7
Total number of miles of wind indicated 8635	8406
Mean Velocity of Wind per hourmiles 12 0	11.7
	1

St. Ignatius' College, Malta.
MAY, 1899.

Result of Observations taken during the Month.	Mean for the last 16 years
Mean Reading of the Barometer inches 29:977	29.981
Highest ,, on the 31st ,, 30.230	30.178
Lowest ,, on the 6th ,, 29.715	29.627
Range of Barometer Readings, 0.515	0.551
Highest Reading of a Max. Therm. on the 25th 84.3	81.7
Lowest Reading of a Min. Therm. on the 4th 54.3	53.2
Range of Thermometer Readings 30.0	28.5
Greatest Range in 24 hours on the 24th 21.0	23.4
Mean of all the Highest Readings 74-7	72.4
Mean of all the Lowest Readings 60 1	58.4
Mean Daily Range 14.6	14.0
Mean Temperature (deduced from Max. & Min.) 66.4	64.3
Mean Temperature (deduced from Dry Bulb) 65.4	63.7
Adopted Mean Temperature 65 9	64.0
Mean Temperature of Evaporation 61.4	60.0
Mean Temperature of Dew Point 580	56.4
Mean elastic force of Vapourinches 0.482	0.455
Mean weight of Vapour in a cub.ft.of air grains 5.3	5 0
Mean additional weight required for saturation, 1.7	1.7
Mean degree of Humidity	76
Mean weight of a cubic foot of air grains 525.8	526.9
Fall of Rain	0.673
Number of days on which Rain fell 0	4
Mean amount of Cloud (an overcast sky=10) 1.8	4.0
Total number of miles of Wind indicated 6510	7511
Mean Velocity of Wind per hour 8.7	10.1

St. Ignatius' College, Malta.

JUNE, 1899.

Results of Observations taken during the Month.	Mean for the last 16 years.
Mean Reading of the Barometerinches 30.0	30.017
Highest ,, on the 6th ,, 30:	221 30.172
Lowest ., on the 22nd ,, 29.	788 2 9·801
Range of Barometer Readings ,, 0.4	133 0.371
Highest Reading of a Max. Therm. on the 11th 8	7.7 90.9
Lowest Reading of a Min. Therm. on the 1st 5	8.8 58.4
Range of Thermometer Readings 2	8.9 32 5
Greatest range in 24 hours on the 9th 2	0.1 25.7
Mean of all the Highest Readings 7	9.7 80 8
Mean of all the Lowest Readings 6	5.1 64.8
Mean Daily Range 1	4.6
Mean Temperature (deduced from Max & Min.) 7	1.7 72.0
Mean Temperature (deduced from Dry Bulb) 7	0.5 71.3
Adopted Mean Temperature 7	1.1 71.6
Mean Temperature of Evaporation 6	5.5 66.0
Mean Temperature of Dew Point 6	1.4 61.8
Mean elastic force of Vapourinches 0.3	545 0.552
Mean weight of Vapour in a cub.ft. of air grains	5.9 6.0
Mean additional weight required for saturation,,	2.4 2.4
Mean degree of Humidity	73 72
Mean weight of cubic foot of airgrains 52	0.5 519.7
Fall of Raininches 0.8	0.060
Number of days on which Rain fell	4 1
Mean amount of Cloud (an overcast sky=10)	2.6 2.1
Total number of miles of Wind indicated 75	200 6246
Mean Velocity of Wind per hourmiles 1	0.0

St. Ignatius' College, Malta.

JULY, 1899.

Results of Observations taken during the Month	•	Mean for the last 16 years.
Mean Reading of the Barometerinches	30.036	30.003
Highest ,, on the 20th ,,	30.157	30.142
Lowest ,, on the 13th ,,	29.855	29.835
Range of Barometer Readings,	0.302	0.307
Highest Reading of a Max. Therm. on the 25th	94.6	97.7
Lowest Reading of a Min. Therm. on the 3rd	59.0	64.7
Range of Thermometer Readings	35.6	33.0
Greatest Range in 24 hours on the 24th	23.6	2 6·9
Mean of all the Highest Readings	84.4	87.0
Mean of all the Lowest Readings	68.1	69.8
Mean Daily Range	16.3	17.2
Mean Temperature(deduced from Max. & Min.)	75.7	77.9
Mean Temperature (deduced from Dry Bulb)	74.7	76.9
Adopted Mean Temperature	75.2	77.4
Mean Temperature of Evaporation	68.3	70.4
Mean Temperature of Dew Point	63.4	65.7
Mean elastic force of Vapour inches	0.584	0.634
Mean weight of Vapour in a cub.ft.of air grains	6.0	6.7
Mean additional weight required for saturation,,	3 1	3.4
Mean degree of Humidity	67	67
Mean weight of a cubic foot of air grains	516.4	513.4
Fall of Rain inches	0.0	0.034
Number of Days on which rain fell	0	1
Mean amount of Cloud (an overcast sky=10)	0.6	1.0
Total number of miles of wind indicated	6890	5635
Mean Velocity of Wind per hourmiles	9 3	7.6

St. Ignatius' College, Malta.

AUGUST, 1899.

Results of Observations taken during the Month.	Mean for the last 16 years.
Mean Reading of the Barometerinches 30.051	30.013
Highest ,, on the 15th ,, 30.211	30.159
Lowest ,, on the 10th ,, 29.908	29.867
Range of Barometer Readings ,, 0.303	0.292
Highest Reading of a Max. Therm. on the 9th 92.5	96.2
Lowest Reading of a Min. Therm. on the 25th 66.2	65.5
Range of Thermometer Readings 26.3	30.7
Greatest Range in 24 hours on the 9th 21.2	25.7
Mean of all the Highest Readings 86.6	87.0
Mean of all the Lowest Readings 70.2	70.9
Mean Daily Range 16.4	16.1
Mean Temperature (deduced from Max. & Min.) 77.6	78.2
Mean Temperature (deduced from Dry Bulb) 77.7	77.9
Adopted Mean Temperature 77.7	78.1
Mean Temperature of Evaporation 70.7	71.3
Mean Temperature of Dew Point 65.7	66.9
Mean elastic force of Vapourinches 0.633	0.657
Mean weight of Vapour in a cub.ft.of air grains 6.8	7.0
Mean additional weight required for saturation,, 3.5	3.3
Mean degree of Humidity 66	69
Mean weight of a cubic foot of airgrains 513.5	512.6
Fall of Rain inches 0.0	0.095
Number of days on which Rain fell 0	1
Mean amount of Cloud (an overcast sky=10) 0.7	1.1
Total number of miles of wind indicated 4235	5438
Mean Velocity of Wind per hour miles 5.7	7.3

St. Ignatius' College, Malta. SEPTEMBER, 1899.

Results of Observations taken during the Month.	Mean for the last 16 years.
Mean Reading of the Barometer inches 30.012	30.061
Highest ,, on the 5th 30·201	30.248
Lowest ,, on the 17th 29:792	29.830
Range of Barometer Readings 0.409	0.418
Highest Reading of a Max. Therm. on the 3rd 91.5	92.6
Lowest Reading of a Min. Therm. on the 28th 61.7	62.9
Range of Thermometer Readings 29.8	29.7
Greatest Range in 24 hours on the 3rd 21 0	- 23.8
Mean of all the Highest Readings 83.7	83.4
Mean of all the Lowest Readings 68.5	70.0
Mean Daily Range 15.2	13.4
Mean Temperature (deduced from Max. & Min.) 75 2	75.3
Mean Temperature (deduced from Dry Bulb) 74·1	74.7
Adopted Mean Temperature 74.7	75.0
Mean Temperature of Evaporation 70.2	69.2
Mean Temperature of Dew Point 67.2	65 5
Mean elastic force of Vapour inches 0.666	0 623
Mean weight of Vapour in a cub.ft.of air grains 7.2	6.7
Mean additional weight required for saturation,, 1.9	2.6
Mean degree of Humidity 79	72
Mean weight of a cubic foot of airgrains 516.2	516.9
Fall of Rain inches 1.872	1.041
Number of days on which Rain fell 7	4
Mean amount of Cloud (an overcast sky=10) 1.4	2.4
Total number of miles of Wind indicated 5155	5597
Mean Velocity of Wind per hourmiles 7.2	7.8

St. Ignatius' College, Malta.
OCTOBER, 1899.

Results of Observations taken during the Month.		Mean for the last 16 years.
Mean Reading of the Barometerinches	30.142	30.042
	30.371	30.263
	29.927	29 737
Range of Barometer Readings	0.444	0.526
Highest Reading of a Max. Therm. on the 1st	83.1	87.5
Lowest Reading of a Min, Therm. on the 11th	58.1	55.8
Range of Thermometer Readings	25.0	31.7
Greatest Range in 24 hours on the 2nd	17.5	19.7
Mean of all the Highest Readings	77.3	76 7
Mean of all the Lowest Readings	65.0	57.8
Mean Daily Range	12.3	18.9
Mean Temperature (deduced from Max.&Min.)	70.3	69.7
Mean Temperature from Dry Bulb	69 6	66.8
Adopted Mean Temperature	70.0	68.3
Mean Temperature of Evaporation	66.3	64.6
Mean Temperature of Dew Point	63.8	61.0
Mean elastic force of Vapourinches	0.613	0.542
Mean weight of Vapour in a cub. ft. of air grains	6.5	5.9
Mean additional weight required for saturation,,	1.3	1.8
Mean degree of Humidity	82	77
Mean weight of a cubic foot of airgrains	523.5	523.0
Fall of Rain inches	2.880	3 087
Number of days on which Rain fell	7	7
Mean amount of Cloud (an overcast sky=10)	3.7	4.3
Total number of miles of Wind indicated	4900	6733
Mean Velocity of Wind per hourmiles	6 6	9.1

St. Ignatius' College, Malta. NOVEMBER, 1899.

Results of Observations taken during the Month.	Mean for the last 16 years.
Mean Reading of the Barometerinches 30	180 30.076
Highest ,, on the 25th ,, 30	30 318
Lowest ,, on the 17th ,, 29	533 29.713
Range of Barometer Readings ,, 0	855 0.605
Highest Reading of a Max. Therm. on the 8th	76.1 76.8
Lowest Reading of a Min. Therm. on the 18th	19.1 50.3
Range of Thermometer Readings	27.0 26.5
Greatest Range in 24 hours on the 12th 1	17.9
Mean of all the Highest Readings	88.7 69.0
Mean of all the Lowest Readings	57.7 57.8
Mean Daily Range	11.0
Mean Temperature (deduced from Max. & Min.)	62.5
Mean Temperature (deduced from Dry Bulb)	61.8
Adopted Mean Temperature	62.2
Mean Temperature of Evaporation	58.2 57.7
Mean Temperature of Dew Point	55.2 54.4
Mean elastic force of Vapour inches 0	436 0.423
Mean weight of Vapour in a cub. ft.of air grains	4.9 4.8
Mean additional weight required for saturation,,	1 2 1.3
Mean degree of Humidity	80 79
Mean weight of a cubic foot of air grains 58	33.3 531.8
Fall of rain inches 4:	650 3.240
Number of days on which Rain fell	11 11
Mean amount of Cloud (an overcast sky=10)	3.9 5.2
Total number of miles of wind indicated 6	095 6672
Mean Velocity of Wind per hourmiles	8.5 9.3

St. Ignatius' College, Malta. DECEMBER, 1899.

Results of Observations taken during the Month.	Mean for the last 16 years.
Mean Reading of the Barometer inches 29.976	30.050
Highest ,, on the 5th ,, 30.363	30.403
Lowest ,, on the 14th ,, 29.509	29.586
Range of Barometer Readings, 0.854	0.817
Highest Reading of a Max. Therm. on the 21st 67.7	68.5
Lowest Reading of a Min. Therm. on the 5th 46.7	43.7
Range of Thermometer Readings 21.0	24.8
Greatest Range in 24 hours on the 5th 17.8	17.5
Mean of all the Highest Readings 63.2	61.8
Mean of all the Lowest Readings 52.5	52.2
Mean Daily Range 10.7	9.6
Mean Temperature (deduced from Max.&Min.) 57·1	56.4
Mean Temperature (deduced from Dry Bulb) 57.4	56.0
Adopted Mean Temperature 57.2	56.2
Mean Temperature of Evaporation 53.3	51.9
Mean Temperature of Dew Point 50.2	48.7
Mean Elastic force of Vapourinches 0.364	0.344
Mean weight of Vapour in a cubic ft. of air grains 3.9	3.9
Mean additional weight required for saturation,, 1.1	11
Mean degree of Humidity 79	79
Mean weight of a cubic foot of air grains 535.3	538.5
Fall of Raininches 3.992	4.426
Number of days on which Rain fell 20	15
Mean amount of Cloud (an overcast sky=10) 5.4	5.8
Total number of miles of Wind indicated 8045	8287
Mean Velocity of Wind per hourmiles 10.8	11.1

Summary of Observations, 1899.

Results of Observations taken during the Year.	Mean for the last 16 years.
Mean Reading of the Barometerinches 30 055	30.025
Highest ,, on January 21st ,, 30.449	30.509
Lowest ,, on December 14th ,, 29:509	29.374
Range of Barometer Readings ,, 0.940	1.135
Highest Reading of a Max. Therm. on July 25th 94.6	99.4
Lowest Reading of a Min. Therm. on Jan. 7th &8th 43:2	40.3
Range of Thermometer Readings 51.4	59.1
Greatest Range in 24 hours on the 24th July 23.6	28.7
Mean of all the Highest Readings	72.5
Mean of all the Lowest Readings 59.5	59.3
Mean Daily Range	13.2
Mean Temperature (deduced from Max.&Min.) 65.3	65.0
Mean Temperature (deduced from Dry Bulb) 64.7	64.4
Adopted Mean Temperature 65.0	64.7
Mean Temperature of Evaporation 60.3	59.8
Mean Temperature of Dew Point 56.9	56.1
Mean elastic force of Vapourinches 0.479	0.457
Mean weight of Vapour in a cub. ft. of air grains 5.1	5.1
Mean additional weight required for saturation, 1.7	1.8
Mean degree of Humidity 77	76
Mean weight of a cubic foot of airgrains 528.3	527.9
Total fall of rain in the year inches 17.872	20.245
Number of days on which Rain fell 80	77
Mean amount of Cloud (an overcast sky=10) 3.5	3.8
Total number of miles of Wind indicated 80714	85080
Mean Velocity of Wind per hourmiles 9.2	9.7

SINCE MAY, 1883.

The Maximum monthly mean height of the Barometer was in January, 1898, and wasinches 30·347

The Minimum ,, in January, 1886, and was 29·844

The Maximum yearly mean height of the Barometer was in 1897, and wasinches 30.058	
The Minimum ,, ,, in 1890, and was	
The greatest monthly range of the Barometer was in	
January, 1886, and wasinches 1.201	
The least ,, , in August, 1883, and was ,, 0.188	
The highest reading of the Barometer was on January 29th,	
1898, and wasinches 30.638	
The lowest ,, ,, on January 17th, 1886, and was 29:155	
Extreme rangeinches 1:483	
The highest temperature was on August 11th, 1896, and was 104.8	
The lowest ,, ,, February 19th, 1895 34.2	
The highest mean temperature of a month, was in August,	
1885, and was 83·2	
The lowest ,, ,, ,, February, 1891 49.5	
The greatest monthly mean weight of vapour August, 1885 7.9	
The least ,, January and February, 1891, and was grs 30	
The highest observed Dew point was on August 30th,	
1885, and was 78.7	
The lowest ,, ,, February 19th, 1895, and was 27.9	
The greatest fall of rain in a month was in December, 1889,	
and wasinches 8 952	
The greatest number of days on which rain fell in one month	
The greatest fall of rain in a year was in 1898, and was inches 29·178	
The smallest ., ,, ,, 1895 ,, 11.384	
The greatest number of rainy days in a year was in 1894 and was 90	
The least ,, ,, 1888 59	
The highest temperature registered in sunshine was on the	
15th July, 1897, and was	
The lowest temperature registered on ground was on the	
Total 2 obligation, and the tribert to the contract of the con	
The highest observed sea temperature was on the 5th August, 1887, and was	
771 1	
The smallest mean amount of cloud observed in one month	
was in August, 1890, and was	
The greatest ,, ,, in January, 1894, and was 7.2	
i, i, in january, 1001, and was 12	

NOTES FOR THE SEPARATE MONTHS.

JANUARY.

THE Dew-point ranged between 36.6° on the 4th, and 53.6° on the 31st.

In Sunshine, the highest reading was 120.0° on the 11th.

On Ground, the lowest reading was 35.5° on the 7th.

The Sea has averaged 60.2°.

Thunderstorms passed on the 4th, and 13th.

Lightning was seen on the 12th.

Hail fell on the 4th.

Total Rainfall since last June 22·220 inches; the average of 16 years, 14·796 inches.

FEBRUARY.

The Dew-Point ranged between 56 7° on the 18th and 33.6° on the 28th.

In Sunshine, the highest reading was 129.6° on the 25th.

On Ground, the lowest reading was 40.0 on the 6th.

The Sea has averaged 61.2°.

Lightning was seen on the 22nd and 23rd.

Total Rainfall since last June, 23.739 inches; the average of $16~\rm years,~16.840$ inches.

MARCH.

The Dew-point ranged between $57 \cdot 3^{\circ}$ on the 11th, and $31 \cdot 3^{\circ}$ on the 26th

In Sunshine, the highest reading was 133.9° on the 31st.

On Ground, the lowest reading was 39.9° on the 29th.

The Sea has averaged 62 0°.

Hail fell on the 26th.

Total Rainfall since last June 24:578 inches; the average of 16 years, 17:880 inches.

APRIL.

The Dew-point ranged between 58 4° on the 17th, and $43\cdot4^{\circ}$ on the 8th.

In Sunshine, the highest reading was 136.6° on the 6th.

On Ground, the lowest reading was 42.5° on the 24th.

The Sea has averaged 63.0°.

Total Rainfall since last June 24:688 inches; the average of 16 years, 18:924 inches.

MAY.

The Dew-point ranged between $62^{\circ}2$ on the 4th and $48^{\circ}7^{\circ}$ on the 29th.

In Sunshine, the highest reading was 150.0° on the 25th.

On Ground, the lowest reading was 48.7° on the 4th.

The Sea has averaged 68.4°.

Lightning was seen on the 2nd.

Total Rainfall since last June $24^{\circ}688$ inches ; the average of 16 years, $19^{\circ}597$ inches.

JUNE.

The Dew-point ranged between $68^{\circ}4^{\circ}$ on the 22nd and $54~3^{\circ}$ on the 23rd.

In Sunshine, the highest reading was 151.6° on the 14th.

On Ground, the lowest reading was 52.9° on the 1st.

The Sea has averaged 71.7°.

Thunderstorms passed on the 2nd, 3rd and 4th. Lightning was seen on the 19th.

Total Rainfall since last June 25 234 inches; the average of 16 years, 19 657 inches.

St. Ignatius' College, Malta.

JULY.

The Dew-point ranged between $69\cdot3^{\circ}$ on the 20th, and $53\cdot2^{\circ}$ on the 2nd.

In Sunshine, the highest reading was 147.5° on the 24th.

On Ground, the lowest reading was 57.7° on the 11th.

The Sea has averaged 77.0.

Thunderstorms passed on the 14th.

Lightning was seen on the 15th.

AUGUST.

The Dew-point ranged between 72·1° on the 22nd, and 52·5° on the 25th.

In Sunshine the highest reading was 149 5° on the 12th.

On Ground the lowest reading was 59 4° on the 28th.

The Sea has averaged 81.3°.

Lightning was seen on the 4th, 5th, and 6th.

SEPTEMBER

The Dew-point ranged between 75 9° on the 16th, and 56 8 on the 12th.

In Sunshine the highest reading was 146.3° on the 24th.

On Ground, the lowest reading was 55 1° on the 28th.

The Sea has averaged 77.8°.

Thunderstorms passed on the 17th, 24th and 26th.

Lightning was seen on the 10th, 13th, 22nd and 29th.

Hail fell on the 17th.

Total Rainfall since last June 1.872 inches; the average of 16 years 1.170 inches.

OCTOBER.

The Dew-Point ranged between $69^{\circ}2^{\circ}$ on the 4th and $55^{\circ}9^{\circ}$ on the 12th.

In Sunshine, the highest reading was 138 6° on the 7th.

On Ground, the lowest reading was $53 \cdot 1^{\circ}$ on the 27th.

The Sea has averaged 74.0.

Thunderstorms passed on the 12th and 13th.

Lightning was seen on the 8th and 31st.

Total Rainfall since last June 4:752 inches; the average of 16 years, 4:257 inches.

St. Ignatius' College, Malta.

NOVEMBER.

The Dew-point ranged between $66\cdot4^{\circ}$ on the 8th, and $43\cdot1^{\circ}$ on the 18th.

In Sunshine, the highest reading was 132.9° on the 12th.

On Ground, the lowest reading was 44.6° on the 25th.

The Sea has averaged 70 4°.

Thunderstorms passed on the 1st, 14th, 17th, 20th, 21st, 22nd and 24th.

Lightning was seen on the 2nd, 3rd, 6th, 23rd and 30th.

Hail fell on the 21st.

Total Rainfall since last June 9:402 inches; the average of 16 years, 7:497 inches.

Several waterspouts, over sea and land, were seen close to this station on the 13th.

DECEMBER.

The Dew-point ranged between 59·7°, on the 31st and 41 9° on the 17th.

In Sunshine, the highest reading was 123.8° on the 25th.

On Ground, the lowest reading was 39.8° on the 5th.

The Sea has averaged 64.5° .

Thunderstorms passed on the 1st, 2nd, 10th, 16th, 20th and 21st.

Lightning was seen on the 3rd, 4th, and 23rd.

Hail fell on the 1st, 2nd, 10th and 16th.

Total Rainfall since last June, $13^{\circ}394$ inches; the average of 16 years, $11^{\circ}923$ inches.

NOTES FOR THE YEAR.

The Dew-point ranged between 31·3° on the 26th March and $75\cdot9^\circ$ on the 16th September.

In Sunshine, the highest reading was 151.6° on the 14th June.

On Ground, the lowest reading was 35.5° on the 7th January.

The Sea has averaged 69.3°.

Thunderstorms passed on 24 days.


Lightning was seen on 23 days.


Hail fell on 8 days.

J. F. DOBSON, S.J.











HT RE